

CATALOGUE FOR 1850,  
OF A FINE COLLECTION  
OF  
FLORICULTURAL  
VEGETABLE, AND AGRICULTURAL  
SEEDS,

COMPRISING, IN ALL, UPWARDS OF  
1800 SPECIES AND VARIETIES OF FLOWER SEEDS;

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF

**German Asters, Stocks, Zinnias, Hollyhocks,**

&c. &c. (Page 4);

**besides a numerous List of other established  
favourites, and many new and rare Seeds.**

*In giving orders for Flower Seeds it is sufficient, indeed preferable, to mention the  
numbers without the names; but as the numbers are changed every year,  
it is absolutely necessary to say from the Catalogue for 1850.*

*See Page 4, German Assortments, and Pages 5 to 27, Miscellaneous Flower Seeds,  
all of which are numbered. See also extract Page 27.*

THE

LIST OF VEGETABLE SEEDS

WILL BE FOUND TO CONTAIN ALL THE LEADING  
AND MOST APPROVED VARIETIES.

TO BE HAD OF

**JAMES CARTER,  
SEEDSMAN AND FLORIST,  
238, HIGH HOLBORN, LONDON.**

Catalogues forwarded PREPAID on application.

\* \* The German Seeds are from the usual source.

Jan. 1, 1850.

[Entered at Stationers' Hall.]

Gift of  
*Earl Blough*  
November 1957

## THE NECESSARY EXPLANATIONS

respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.  
4th Column.—*Hardiness.*

- h. hardy—plants for the open borders.
- hh. half-hardy—such as require a hot-bed.
- t. tender—pot plants, one or more do.
- f. frame—require protection till May.
- g. greenhouse—greenhouse plants.
- s. stove or hothouse—stove plants.

- A. annual—last one year.
- B. biennial—last two years.
- P. herbaceous perennial—last three or more.
- S. shrub, or under-shrub.
- Pb. perennial bulb or tuber.
- T. tree.

Application: hA. hardy annual; hB. hardy biennial; hP. hardy herbaceous perennial; hS. hardy shrub; hPb. hardy bulbous perennial; hT. hardy tree; hhA. half-hardy annual; hhB. half-hardy biennial, &c. &c.; tA. tender annual, &c.; tA. frame annual, &c.; gA. greenhouse annual, &c.; sA. stove annual; sB. stove biennial; sP. stove perennial; sS. stove shrub; sPb. stove bulbous perennial.

5th Column.—*Colour of the flower. The following are the principal:*

a. ash-grey.	cr. crimson.	o. orange.	sl. slate.
ap. apple-blossom.	d. dark.	ptd. painted.	spot. spotted.
az. azure.	div. diverse.	pur. pu. or p. purple.	stra. straw.
b. blue.	flsh. flesh.	pch. peach.	stri. & st. striped.
blk. black.	gn. or g. green.	pk. pink.	sul. sulphur.
blh. bluish.	gy. grey.	r. red.	v. violet.
br. brown.	l. light.	ro. rose.	var. variegated.
bff. buff.	lcm. lemon.	saf. saffron.	w. white.
car. carmine.	li. lilac.	sc. or s. scarlet.	y. yellow.
cin. cinnamon.	mul. mulberry.	sil. silver.	yh. yellowish.

Example: d. b. dark blue; b. w. y. blue, white and yellow; l. r. light red, &c. &c.

6th Column.—*Usual height of the plant in feet; trai. trailer; cl. climber.*

7th Column.—*Usual month of flowering: 1, January; 2, February; 3, March, &c.; 3-5, March to May, &c. &c.*

8th Column.—*Price per Packet. 6d. Packets may be had of those marked 3d., but no smaller packets can be made than those marked in the Catalogue.*

**TIME OF SOWING.**—Hardy Annuals, February till June, and in Autumn; when sown early many of the Annuals flower in May. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in February till May, on a moderate hot-bed. Many of the Biennials and Perennials marked h frequently stand the winter without protection. The half-hardy Annuals may also be sown on a warm border early in May. The tender Annuals, as Balsams, &c., require more than one hot-bed to bring them to perfection.

The Greenhouse Climbers marked \*\* may be planted in the borders in May.

\* Dwarf Plants proper for the edgings of beds. \*\* Ornamental Climbers.

† Usually flower the first year, if sown early; *sp.* species, *var.* variety.

The dots [ ... ] indicate a repetition; *pl.* pluria, many; *ex.* from.

I. *The 24 Linnean Classes.* (See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

Classes.		a. Stamens (male organs) equal.	e. Stamens united in sets.
		No. 1. Monandria . 1 stamen	16. Monadelphia, 1 set
		2. Diandria . 2 stamens	17. Diadelphia, 2 sets
		3. Triandria . 3 "	18. Polyadelphia, many sets
		4. Tetrandria . 4 "	d. Compound Flowers (Asters, &c.).
		5. Pentandria . 5 "	19. Syngenesia
		6. Hexandria . 6 "	e. Stamens on the style.
		7. Heptandria . 7 "	20. Gynandria
		8. Octandria . 8 "	f. Male and female separated.
		9. Enneandria . 9 "	21. Monœcia, on one plant
		10. Decandria . 10 "	22. Dioœcia, on different plants
		11. Dodecandria 12 to 19 S. in the cup	g. Male, female, and hermaphrodite flowers, on one or different plants.
		12. Icosandria 20 or more S. on the base	23. Polygamia, many marriages
		13. Polyandria, many Stamens	h. Flowers wanting, or incomplete.
		b. Stamens unequal.	24. Cryptogamia, hidden marriages (Ferns, Mosses, &c.).
		14. Didynamia, 2 long, 2 short	
		15. Tetradynamia, 4 , 2 , 2 ,	

## II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

### a. Orders founded on the Styles, or female organs.

No. 25. Monogýnia	. 1 style
26. Digýnia	. 2 styles
27. Di-pentagýnia	2 to 5 "
28. Trigýnia	. 3 "
29. Tetragýnia	. 4 "
30. Pentagýnia	. 5 "
31. Hexagýnia	. 6 "
32. Heptagýnia	. 7 "
33. Decagýnia	. 10 "
34. Dodceagýnia	. 12 "
35. Polygýnia	many "

### b. On the Stamens (male organs).

36. Monan'dria	. 1 stamen
37. Diandria	. 2 stamens
38. Triandria	. 3 "
39. Tetrandria	. 4 "
40. Pentandria	. 5 "
41. Hexandria	. 6 "
42. Heptandria	. 7 "
43. Octandria	. 8 "
44. Enneandria	. 9 "
45. Decandria	. 10 "
46. Dodecandria	. 12 "
47. Icosandria	. 20 "
48. Polyandria	many "

### c. On the sets of Stamens.

#### No. 49. Monadelphía, 1 set

#### d. Styles and stamens united.

#### 50. Gynandria

#### e. Male and female separate.

#### 51. Monœ'cia, on one plant

#### 52. Dicœ'cia, on different plants

#### f. On the Polygamy.

#### 53. { Polygámia æqualis, or Equal Polygamy

#### 54. { Polygámia superflua Superfluous Polygamy

#### 55. { Polygámia frustrænea Frustrated Polygamy

#### 56. { Polygámia necessaria Necessary Polygamy

#### 57. { Polygámia segregata Separated Polygamy

#### g. On the Seeds.

#### 58. { Gymnosper'mia Naked seeds

#### 59. Angiosper'mia, in a capsule

#### h. On the Pods.

#### 60. Siliculôsa, a small pod

#### 61. Siliquôsa, a long pod.

## III. The Natural Orders. (See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

62. Acanthæcæ	85. Cucurbitacæ	108. Loasacæ	131. Ranunculæcæ
63. Amaranthæcæ	86. Dioscoreacæ	109. Lobeliæcæ	132. Resedæcæ
64. Amaryllidæcæ	87. Dipsacæ	110. Lythracæ	133. Rosacæ
65. Apocynæcæ	88. Epacridæcæ	111. Magnoliæcæ	134. Rutæcæ
66. Araliæcæ	89. Ericæcæ	112. Malvacæ	135. Sapindæcæ
67. Asclepiadæcæ	90. Passifloriæcæ	113. Marantæcæ	136. Scitamineæ
68. Balsaminæcæ	91. Euphorbiæcæ	114. Melanthæcæ	137. Scrophulariæcæ
69. Begoniæcæ	92. Ficoidæcæ	115. Myrsinæcæ	138. Selaginæcæ
70. Berberidæcæ	93. Francoacæ	116. Myrtæcæ	139. Sesamæcæ
71. Bignoniæcæ	94. Fumariæcæ	117. Musacæ	140. Silenæcæ
72. Boraginæcæ	95. Gentianæcæ	118. Nyctaginæcæ	141. Solanæcæ
73. Cactæcæ	96. Geraniæcæ	119. Nymphaeæcæ	142. Stellatæ
74. Campanulacæ	97. Gesneriæcæ	120. Onagrariæcæ	143. Sterculiæcæ
75. Capparidæcæ	98. Graminæcæ	121. Papaveræcæ	144. Thymelæcæ
76. Caprifoliæcæ	99. Hydrophyllæcæ	122. Passifloræcæ	145. Tremandacæ
77. Cinchonæcæ	100. Hypericæcæ	123. Pittosporæcæ	146. Tropæolæcæ
78. Cistæcæ	101. Iridæcæ	124. Plumbaginæcæ	147. Tulipæcæ
79. Cobæcæ	102. Jasmínæcæ	125. Polemoniæcæ	148. Umbelliferæcæ
80. Commelinæcæ	103. Labiatæ	126. Polygalæcæ	149. Valerianæcæ
81. Compositæ	104. Leguminosæ	127. Polygonæcæ	150. Verbenæcæ
82. Convolvulæcæ	105. Liliæcæ	128. Portulacæcæ	151. Violæcæ
83. Crassulacæ	106. Limnanthæcæ	129. Primulæcæ	152. Zygophyllæcæ
84. Crucifera	107. Linæcæ	130. Proteacæ	

### Additional Natural Orders.

153. Oxalidæcæ	154. Melastomæcæ	155. Phytolaccæcæ	156. Selaginæcæ.
----------------	------------------	-------------------	------------------

The names of the Natural Orders ending in ACÆ are chiefly derived from Generic Names, as CAMPANULACÆ from CAMPANULA; such as end in æ only are not, as COMPOSITÆ, CRUCIFERÆ, LABIATÆ, &c.

**GERMAN FLOWER SEEDS**

IN THE ORIGINAL SEALED PACKETS.

*These Seeds warranted to equal, if not surpass, any in the Kingdom.*

No.	h. <i>hardy</i> ; hh. <i>half-hardy</i> ; t. <i>tender</i> ; A. <i>annual</i> ; B. <i>biennial</i> ; P. <i>perennial</i> .					s. d.
1	24	splendid varieties of German Aster, separate, hh.A.	do.	do.	do.	6 0
2	24	do. do. do.	do.	do.	smaller packets	3 0
3	12	do. do. do.	do.	do.	do.	3 0
4	12	do. do. do.	do.	do.	smaller packets	1 6
5	12	superb new Globe	do.	do.	do.	3 0
6	12	do. do. do.	do.	do.	smaller packets	1 6
7	6	do. do. do.	do.	do.	do.	1 9
8	6	do. do. do.	do.	do.	smaller packets	1 0
9	12	new double Pyramidal	do.	do.	do.	3 0
10	12	do. do. do.	do.	do.	smaller packets	1 6
11	12	new Globe Pyramidal	do.	do.	do.	3 0
12	12	do. do. do.	do.	do.	smaller packets	1 6
13	60	splendid German Aster, comprising Nos. 1, 5, 9, 11	do.	do.	do.	14 0
14	60	do. do. do.	do.	do.	smaller packets	7 0
15	20	beautiful new dwarf German Aster, separate	do.	do.	do.	5 0
16	20	do. do. do.	do.	do.	smaller packets	2 6
17	10	do. do. do.	do.	do.	do.	2 6
18	10	do. do. do.	do.	do.	smaller packets	1 6
19	24	extra fine dwarf German Stock, separate, hh.A.	do.	do.	do.	7 0
20	24	do. do. do.	do.	do.	smaller packets	3 6
21	12	do. do. do.	do.	do.	do.	4 0
22	12	do. do. do.	do.	do.	smaller packets	2 0
23	12	finest branching Nosegay do.	do.	do.	do.	3 0
24	12	do. do. do.	do.	do.	smaller packets	1 6
25	12	very fine wallflower-leaved or Prussian Stock, separate	do.	do.	do.	3 0
26	12	do. do. do.	do.	do.	smaller packets	1 6
27	60	fine German Stock, comprising Nos. 19, 23, 25	do.	do.	do.	15 0
28	60	do. do. do. separate Nos. 20, 24, 26	do.	do.	smaller packets	7 6
29	12	finest new Antirrhinum or Snapdragon, hP†	do.	do.	do.	2 6
30	20	beautiful double Balsam, t.A. or greenhouse	do.	do.	do.	5 0
31	10	do. do. do.	do.	do.	do.	2 6
32	50	finest Carnation, 5 of each, fP.	do.	do.	do.	12 0
33	10	Cock'scomb, ta	do.	do.	do.	3 6
34	8	finest Elichrysium or Xeranthemum, hh.A.	do.	do.	do.	2 0
35	40	extra fine double Hollyhock, hP.	do.	do.	do.	6 0
36	20	do. do. do.	do.	do.	do.	3 0
37	12	finest double dwarf Rocket Larkspur, hA.	do.	do.	do.	2 6
38	12	do. do. tall do. hA.	do.	do.	do.	2 6
39	12	finest varieties of Marigold, hh.A.	do.	do.	do.	3 0
40	12	beautiful new Petunia, hhP†	do.	do.	do.	3 6
41	12	extra fine new varieties of Phlox Drummondii, hh.A.	do.	do.	do.	5 0
42	16	extra fine double Poppy, hA.	do.	do.	do.	3 0
43	8	do. do. do.	do.	do.	do.	1 6
44	12	beautiful Salpiglossis, hh.A.	do.	do.	do.	3 6
45	12	splendid new Scabious, hP†.	do.	do.	do.	3 0
46	12	finest biennial Stock, hhB.	do.	do.	do.	3 0
47	12	do. do. do.	do.	do.	smaller packets	1 6
48	12	superb new Wallflower, hP.	do.	do.	do.	5 0
49	12	do. do. do.	do.	do.	smaller packets	2 6
50	6	do. do. do.	do.	do.	do.	2 6
51	6	do. do. do.	do.	do.	smaller packets	1 6
52	24	splendid Zinnia elegans, hh.A.	do.	do.	do.	8 0
53	12	do. do. do.	do.	do.	do.	4 0
54	A selection of the finest annuals from the above assortment					60 0
55	A smaller do. do. from do. do.					30 0

# CATALOGUE.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, Campanula, 5, 25, 74, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulaceæ*, plants with Bell-shaped Flowers. See page 7.

## MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Acacia càfra* is rendered Caffrarian Acacia, &c.—In giving orders it is sufficient to mention the numbers and date of this Catalogue, 1850. N.B. The numbers being changed every year, it is absolutely necessary to say from what Catalogue they are taken.

A — indicates a variety. ( ) That the word is not literally translated, or is superadded.			THE ACCENTS.			Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
à, â, ï, ð, ù, y', as in Àèa-eia, Gardè-nia, Lupì-nus, Cù-phaea, Hÿ-acintha. á, é, í, ó, and y', as in Itál-ica, él-egans, bie-olor, Nemòph-ila (ù does not occur).													
Scientific Name.													
No.											feet		s.d.
56	Acàcia càfra	Caffrarian	16	44	104	gS	yh.w	10	5-7	6			
57	lophantha	erect-flowered	...	...	...	...	y.	6	...	6			
58	pulchella	pretty	...	...	...	...	...	5	...	6			
59	speciosa	showy	...	...	...	...	pur.	10	8-10	6			
60	— — —	fine mixed	...	...	...	...	div.	div.	div.	1	0		
61	Achimenes	8 sp. mixed	14	59	97	sPb	...	1	6-8	1	0		
62	Aconitum chinense	Chinese	13	28	131	hP†	b.	3	8-9	3			
63	— — —	fine mixed	...	...	...	...	w&b	...	7-9	3			
64	Adenòphora suavèolens	fragrant	5	25	74	...	b.	2	6-8	3			
65	Æthionema persica	Persian	15	61	84	...	pk.	3	7-8	3			
66	Agapanthus umbellatus	umbellate	6	25	105	gPb	b.	3	5-8	6			
67	Ageratum mexicanum	Mexican	19	53	81	hA	...	2	7-8	3			
68	odoratum	odorous	...	...	...	...	li.	...	...	3			
69	Agrostis elegans*	elegant	3	26	98	...	gn.	1	...	3			
70	Aloe albispina	white-spined	6	25	105	gP	sc.	5	6-8	1	0		
71	echinata	echinate	...	...	...	...	o.	...	7-8	1	0		
72	flavispina	yellow-spined	...	...	...	...	r.	...	6-8	1	0		
73	Alonsòa grandiflora	large-flowered	14	59	137	hhP†	sc.	1½	6-9	6			
74	incisifolia	cut-leaved	...	...	...	...	...	...	...	6			
75	— — —	fine mixed	...	...	...	...	...	...	...	6			
76	Alstrœmèria aurantiaca	orange	6	25	64	fPb†	o.	2½	...	3			
77	Ligü	Ligü	...	...	...	...	cr.	2	...	6			
78	Pelegrina	(striped)	...	...	...	...	stri.	...	...	6			
79	— alba	white	...	...	...	...	w.	...	...	6			
80	pulchella	pretty	...	...	...	...	sc.	...	...	6			
81	tricolor	three-coloured	...	...	...	...	wpy	...	...	6			
82	var. Van Houttii	v. Houtte's hybrids	...	...	...	...	div.	...	...	6			
83	— — —	Nos. 76 to 82	...	...	...	...	...	...	...	2	6		
84	— — —	fine mixed	...	...	...	...	...	...	...	6			
85	Alyssum saxatile	rock	15	60	84	hP†	y.	1	5-6	3			
86	Wiersbeckii	Wiersbeck's	...	...	...	...	...	...	6-7	3			
87	Amaranthus tricolor	three-coloured	21	40	63	tA	var.	...	7-8	3			
88	speciosus (monstruosus)	showy	...	...	...	hhA	pur.	2½	...	3			
89	Amethystea cærulea	blue	2	25	103	hA	b.	1½	...	3			
90	Anagallis Piercei	Pierce's (fringed)	5	...	129	gP†	b&w	1	6-9	1	0		
91	grandiflora azurea	large blue	...	...	...	...	b.	...	...	6			
92	Parksii	Parks's	...	...	...	...	r.	...	...	6			
93	— — —	6 sp. separate	...	...	...	...	div.	...	...	2	6		
94	Anchlusa ochroleuca italica	Italian	...	...	72	hP†	pur.	2	6-8	3			
95	Anemone coronaria	(Poppy Anemone)	13	35	131	hPb	div.	1	5-7	6			

<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>		Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
96	Anemone coronaria præcox	early (Russian)	13	35	131	hPb	div.	1	4-6	6
97	Hudsoniana	(Hudson's Bay)	...	...	...	hP	w.	...	5-7	6
98	narcissiflora	Narcissus-flowered	...	...	...	...	...	...	...	6
99	Pulsatilla	(Pasque-flower)	...	...	...	...	v.	½	4-5	6
100	sulphurea	sulphur-coloured	...	...	...	...	sul.	...	...	6
101	Anoda Dilleniana	Dillenius's	16	48	112	hA	b.	1½	7-8	3
102	Anomathæca eructa	blood-red	3	25	101	fPb	r.	1	6-8	3
103	Anthericum annuum	annual	6	...	105	hA	y.	¾	7-8	3
104	Antirrhinum Majus, album	Snapdragon, white	14	59	137	hP+	div.	2	6-9	3
105	— caryophylloides	— Carnation	...	...	...	...	stri.	...	...	3
106	— — flavum	— yellow do.	...	...	...	...	...	...	...	6
107	— — coccineum	— scarlet	...	...	...	...	se.	...	...	3
108	— — eximium	— choice	...	...	...	...	4col.	...	...	3
109	— — kermesinum	— crimson	...	...	...	...	cr.	...	...	3
110	— — ochroleucum	— pale yellow	...	...	...	...	ly.	...	...	3
111	— — —	Nos. 104 to 110	...	...	...	...	div.	...	1	6
112	— — —	splendid mixed	...	...	...	...	...	...	...	6
113	Aquilegia canadensis	Canadian	13	30	131	...	r & o.	1½	5-7	3
114	formosa	beautiful	...	...	...	...	...	...	...	6
115	glandulosa	glandular	...	...	...	...	b & w	...	...	6
116	sibirica plena	Siberian double	...	...	...	...	b.	...	...	3
117	Skinneri	Skinner's	...	...	...	...	r & gn	...	...	6
118	— — —	Nos. 113 to 117	...	...	...	...	div.	...	1	6
119	— — —	fine mixed	...	...	...	...	...	...	...	6
120	Arabis caucásica	Caucasian	15	61	84	...	w.	¾	...	3
121	Aràlia japonica	Japan	5	30	66	sS	...	4	6-8	6
122	Ardisia	2 fine species	...	25	115	...	sc.	6	7-9	6
123	Arduina hispidosa	two-spined	...	...	65	gS	w.	2	4-8	1 0
124	Argemone grandiflora	large-flowered	13	...	121	hA	...	...	7-8	6
125	— mexicana	Mexican	...	...	...	...	y.	...	...	3
126	Aristea major	larger	3	...	101	gPb	bl.	1	5-7	1 0
127	Armèria formosa	beautiful	5	30	124	hP+	pk.	...	6-8	6
128	Asclèpias curassavica	Curassao	...	26	67	sP	sc.	2½	7-8	6
129	— ornata	ornamented	...	...	...	gP	pur.	3	...	6
130	tuberosa	tuberous-rooted	...	...	...	fP	or.	2	...	6
131	Aster tenellus*	stender	19	54	81	hB+	b.	¾	...	3
132	Athanasia annua	annual	...	53	...	hA	y.	¾	...	3
133	Atrágene capensis	Cape	13	35	131	gP	pur.	4	...	6
134	Aulax	2 fine species	22	39	130	gS	y.	2	7-9	1 0
135	Azalea	fine mixed	5	25	89	hS	div.	3	5-7	6
136	Balsamina latifolia	broad-leaved	...	30	68	gA	r.	1½	6-9	6
137	Baptisia australis	southern	10	25	104	hP	b.	2½	6-8	3
138	— perfoliata	perfoliated	...	...	...	gP	y.	3	7-8	6
139	Bartonia aurea	golden	13	...	108	hA	...	2	...	3
140	Berberis repens	creeping	6	...	70	hS	...	trai	5-6	6
141	Bignonia**	finest mixed	14	59	71	sS	o&y.	6	7-9	6
142	Blumenbáchia insignis	beautiful	18	48	108	hA	w.	1	7-8	6
143	Boronia denticulata	denticulated	8	25	130	gS	red	2	5-7	1 0
144	Brachyodone iberidifolia	Iberis-leaved	19	4	81	hA	b.	1½	6-8	6
145	— alba	white	...	...	...	...	w.	...	...	6
146	— — —	20 var. mixed	...	...	...	...	div.	...	...	6
147	Browallia elata	tall	14	59	137	gA	b.	2	7-8	3
148	— elata alba	white	...	...	...	...	w.	...	...	3
149	Brugmansia	3 fine varieties	5	25	141	gS	wys.	6	6-9	1 0
150	Brinnia superba	superb	...	...	90	...	w.	4	5-7	1 0
151	Bulbine floribunda	bunch-flowered	6	...	105	gPb	y&g.	1	8-9	6
152	Burchellia capensis	Cape	5	...	77	sS	se.	4	3-5	1 0
153	Cacalia coccinea	scarlet	19	53	81	hA	...	¾	7-8	3
154	— coccinea aurea	golden	...	...	...	...	y.	...	...	3
155	Calampelis scaber**	rough (poddled)	14	59	71	hP+	o.	6	7-9	6



*A*—indicates a variety. ( ) That the word is not literally translated, or is superadded.

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
							feet		<i>s. d.</i>
156	<i>Calampelis scaber miniata</i> **	14	59	71	hhP+	ver.	6	7-9	1 0
157	<i>Calandrinia discolor</i>	11	25	128	hhA	ro.	1½	7-8	6
158	<i>glandulosa</i>	...	...	...	...	pur.	¾	...	3
159	<i>grandiflora</i>	...	...	...	...	...	1½	...	3
160	<i>speciosa</i>	...	...	...	...	...	¾	...	3
161	<i>umbellata</i>	...	...	...	hhP	cr.	¾	...	6
162	— — —	...	...	...	A & P	div.	div.	...	1 6
163	<i>Calceolaria pinnata</i>	2	...	137	...	...	1½	...	3
164	— — —	...	...	...	gp	div.	2	6-8	1 0
165	— — —	...	...	...	hhP	y.	...	...	6
166	<i>Calendula Tragus</i>	19	56	81	gS	w&p	...	5-6	6
167	<i>Callichroa platyglossa</i>	...	...	...	hA	y.	1	7-8	3
168	<i>Calliopsis (Corcopsis)</i>	...	55	...	...	div.	2	...	6
169	<i>bicolor</i>	...	...	...	...	y & r	...	...	3
170	— <i>Ackermanni</i>	...	...	...	...	o & r	...	...	3
171	— <i>atrosanguinea</i>	...	...	...	...	d. r.	...	...	3
172	— <i>fistulosa</i>	...	...	...	...	y & r	...	...	3
173	— <i>grandiflora</i>	...	...	...	...	...	...	...	3
174	— <i>nigra speciosa</i>	...	...	...	...	dark	...	...	3
175	— <i>scniplena</i>	...	...	...	...	y & r	...	...	6
176	<i>Drummondii</i>	...	...	...	...	y & br	1	...	3
177	<i>Atkinsoniana</i>	...	...	...	hP	y.	3	...	3
178	— — —	...	...	...	hA	div.	1&2	...	1 6
179	<i>Callistachys recta</i>	10	25	104	sS	y.	4	6-7	6
180	<i>Campánula carpatica</i>	5	...	74	hP+	l. b.	¾	7-8	3
181	<i>grandiflora</i>	...	...	...	...	b.	1	...	6
182	<i>grandis</i>	...	...	...	...	...	2	...	3
183	<i>macrantha</i>	...	...	...	...	pur.	3	...	3
184	<i>persicifolia</i>	...	...	...	...	b.	2	...	3
185	<i>pulcherrima</i>	...	...	...	...	...	1	...	6
186	<i>pyramidalis</i>	...	...	...	hP	l. b.	3	...	3
187	— <i>alba</i>	...	...	...	...	w.	...	...	3
188	<i>sibirica</i>	...	...	...	hB+	b.	1	...	3
189	<i>stricta</i>	...	...	...	...	...	1½	...	3
190	<i>Trachelium</i>	...	...	...	hP	b&w	2½	...	6
191	— — —	...	...	...	B & P	div.	div.	...	2 6
192	— — —	...	...	...	...	...	...	...	6
193	<i>Lòrci</i>	...	...	...	hA	b.	1	...	3
194	— <i>alba</i>	...	...	...	...	w.	...	...	3
195	— — —	...	...	...	...	h&w	...	...	3
196	<i>pentagonia*</i>	...	...	...	...	b.	...	...	3
197	— <i>alba*</i>	...	...	...	...	w.	...	...	3
198	<i>Canna aurantiaca</i>	1	...	113	sP+	or.	4	1-12	6
199	<i>coccinea</i>	...	...	...	...	sc.	2	...	6
200	<i>floribunda</i>	...	...	...	...	r.	5	6-8	6
201	<i>gigantea</i>	...	...	...	...	r & y	6	1-12	6
202	<i>indica</i>	...	...	...	...	r.	2	...	6
203	<i>lutea</i>	...	...	...	...	y.	...	...	6
204	<i>picta</i>	...	...	...	...	r & y	3	...	6
205	<i>speciosa</i>	...	...	...	...	r.	...	7-9	6
206	<i>spectabilis</i>	...	...	...	...	sc.	4	...	6
207	— — —	...	...	...	...	div.	div.	...	4 0
208	— — —	...	...	...	...	...	...	...	1 0
209	<i>Capparis spinosa</i>	13	...	75	fS	w.	3	5-7	6
210	<i>Cardiospermum halicacabum</i>	8	28	135	sS	w&g	4	6-8	6
211	<i>Carthamus tinctorius</i>	19	53	81	hA	o.	6	7-8	3
212	<i>Cassia corymbosa</i>	10	25	104	gS	y.	4	...	6
213	<i>Castilleja lithospermoides</i>	14	59	137	hhA	sc.	2	...	6
214	<i>Catananche lutea</i>	19	53	81	hA	y.	1	...	3
215	<i>cærulea</i>	...	...	...	hP+	b.	2	...	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
216	Catananche cærulca bicolor	two-coloured	19	53	81	hP+	w&b	2	7-8	3
217	Celsia Areturus	Areturus	14	59	141	hB	y.	4	...	6
218	crética	Cretan	...	...	...	...	...	...	...	3
219	orientalis	oriental	...	...	...	hA	...	1½	...	3
220	— — —	Nos. 217 to 219	...	...	...	div.	...	div.	...	1 0
221	Centaurea americana	American	19	55	81	fA	r.	3	8-10	6
222	atropurpurea	dark purple	...	...	...	hP+	d.pn.	2	7-8	3
223	depressa*	dwarf	...	...	...	hA	b & r	1	...	3
224	splendens deusta	splendid	...	...	...	hP+	d.r.	2	...	3
225	— — —	fine mixed	...	...	...	...	div.	div.	...	6
226	Centranthus macrosiphon	long-tubed (extra)	1	25	149	hhA	r.	¾	...	6
227	Chaenostoma polyanthum	many-flowered	14	59	137	...	li.	...	...	6
228	fastigiatum	bunch-flowered	...	...	...	...	r.	...	...	6
229	viscosum	viscid	...	...	...	...	pk.	...	...	6
230	Chelone barbata	bearded	...	...	...	hP+	sc.	2	...	6
231	glabra	smooth	...	...	...	...	w.	...	...	3
232	elegans rosea	elegant rose	...	...	...	...	ro.	...	...	6
233	sp. mexicana	Mexican	...	...	...	...	sc.	...	...	6
234	Chorozeia rhombica	rhomb-(leaved)	10	25	104	gS	y.	2½	5-7	6
235	macrophylla	long-leaved	...	...	...	...	r.	...	4-6	1 0
236	Cineraria argentea	silvery	19	54	81	hP	w.	4	7-8	3
237	cruenta, pl. sp. & var.	(splendid mixed)	...	...	...	gP	div.	2	5-7	1 0
238	Chironia	3 fine species	5	25	95	gS	...	...	6-8	1 0
239	Cistus	1 sp. separate	13	...	78	fP	w&p	...	6-7	1 6
240	— — —	fine mixed	...	...	...	...	...	...	...	6
241	Cladanthus arabicus	Arabian	19	54	81	hA	y.	1	7-8	3
242	Clarkia elegans	elegant	8	25	120	...	li.	1½	...	3
243	— flore pleno	double	...	...	...	...	...	...	...	3
244	— nana	dwarf	...	...	...	...	...	¾	...	6
245	— neriofolia	Nerium-leaved	...	...	...	...	ro.	1	...	6
246	— rosea	rose-coloured	...	...	...	...	...	1½	...	3
247	— — —	Nos. 242 to 246	...	...	...	...	li & ro	div.	...	1 6
248	pulchella	pretty	...	...	...	...	ro.	1½	...	3
249	— alba	white	...	...	...	...	w.	...	...	3
250	— atropurpurea	dark purple	...	...	...	...	d.p.	...	...	6
251	— fimbriata	fringed	...	...	...	...	ro.	...	...	3
252	— grandiflora	large-flowered	...	...	...	...	r.	...	...	6
253	— — alba	large-flowered, white	...	...	...	...	w.	...	...	3
254	— — —	Nos. 248 to 253	...	...	...	...	div.	...	...	1 6
255	— — —	mixed	...	...	...	...	...	...	...	3
256	Clématis flammula**	flame (fragrant)	13	35	131	hS	w.	20	6-9	6
257	— — —	3 sp. mixed**	...	...	...	...	...	10	...	6
258	Cleome arborea	tree-like	15	61	75	sS	...	8	7-8	6
259	pentaphylla	five-leaved	...	...	...	hhA	...	2	...	6
260	spinosa	spiny	...	...	...	hhB+	ro.	...	...	6
261	— — —	mixed	...	...	...	...	div.	...	...	6
262	Clerodendrum fallax superb.	superb	14	59	150	sS	sc.	6	8-10	1 0
263	Cléthra arborea	tree-like	10	25	89	gS	w.	8	7-9	6
264	Clianthus puniceus	crimson	17	45	104	...	cr.	...	...	6
265	Clintonia elegans*	elegant	16	40	109	hhA	b.	1½	7-8	3
266	pulchella*	(pretty) extra	...	...	...	...	3col.	...	...	6
267	— alba	white	...	...	...	...	w.	...	...	6
268	Clitorea Ternatea**	(sky-blue)	17	45	104	sS	b.	4	...	1 0
269	mariana**	Maryland	...	...	...	...	...	...	...	6
270	sp. florida**	species Florida	...	...	...	...	li.	...	...	6
271	Claytia alaternoides	Alaternus-like	22	49	91	gS	w.	2	3-10	6
272	pulchella	pretty	...	...	...	...	...	...	1-6	6
273	Cobaea scandens**	climbing	5	25	79	...	pur.	30	6-9	6
274	Còix lachryma	(Job's Tears)	21	38	98	sA	gn.	2	6-7	6
275	Colconema pulchella	pretty	5	25	134	gS	w.	...	3-7	6
276	Collinsia grandiflora*	large-flowered	14	59	137	hA	pk&li	1	7-8	3



*A—indicates a variety. ( ) That the word is not literally translated, or is superadded.*

No.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
277	<i>Collinsia bicolor*</i>	<i>two-coloured</i>	14	59	137	hA	pk&w	1	7-8	s. d.
278	— <i>atrorubens*</i>	<i>dark red</i>	...	...	...	...	r & w	...	...	3
279	— <i>heterophylla</i>	<i>various-leaved</i>	...	...	...	...	p&w	...	...	3
280	<i>verna*</i>	<i>vernal</i>	...	...	...	...	p&b.	...	...	3
281	— — —	<i>Nos. 276 to 280</i>	...	...	...	...	div.	...	...	1 0
282	<i>Collomia coccinea*</i>	<i>scarlet</i>	5	25	125	...	sc.	...	...	3
283	— <i>grandiflora</i>	<i>large-flowered</i>	...	...	...	...	bff.	...	...	3
284	<i>Commelina caelestis</i>	<i>sky-blue</i>	3	...	80	fPb	b.	1½	...	6
285	— <i>albiflora</i>	<i>white</i>	...	...	...	...	w.	...	...	6
286	<i>Correa ventricosa</i>	<i>bellied</i>	8	...	134	gS	...	3	6-8	1 0
287	<i>Corydalis glauca</i>	<i>glauceous</i>	17	41	94	hA	y&p.	2	7-8	3
288	<i>Cosmanthus frimbriatus</i>	<i>fringed</i>	5	25	99	hA	flsh.	¾	...	6
289	<i>Cosmea bipinnata</i>	<i>bipinnate</i>	19	55	81	...	pur.	2	8-10	3
290	— <i>purpurea grandiflora</i>	<i>large-flower'd purple</i>	...	...	...	...	...	...	...	6
291	<i>Cótula*</i>	<i>2 species</i>	...	54	...	hA	y.	½	7-8	6
292	<i>Crassula odoratissima</i>	<i>sweetest-scented</i>	5	30	83	gS	pk	1	6-8	1 0
293	<i>Crœus vernus</i>	<i>vernal</i>	3	25	101	hPb	div.	¾	3-4	6
294	<i>Crotalaria elegans</i>	<i>elegant</i>	16	45	104	gS	y.	3	6-8	1 0
295	<i>Crucianella stylösa</i>	<i>long-styled</i>	4	25	142	hP+	pk	1	...	3
296	<i>Cücumis Dudaim</i>	<i>(apple-shaped) pretty</i>	21	49	85	fA	y.	traï	...	6
297	— <i>flexuosa</i>	<i>(snake) remarkable</i>	...	...	...	...	...	...	...	6
298	— — —	<i>3 species mixed</i>	...	...	...	...	...	...	...	6
299	<i>Cùphea miniata</i>	<i>vermilion</i>	11	25	110	fS	ver.	2	7-8	1 0
300	— <i>platycentra</i>	<i>broad-centred</i>	...	...	...	...	s&w	1½	...	6
301	— <i>procumbens</i>	<i>procumbent</i>	...	...	...	hA	l. pu.	traï	...	3
302	— <i>silcnoides</i>	<i>Silene-like</i>	...	...	...	...	bl.	1½	...	6
303	— <i>strigillösa</i>	<i>strigillose</i>	...	...	...	...	s&y.	...	...	6
304	— — —	<i>Nos. 299 to 303</i>	...	...	...	...	div.	div.	div.	2 6
305	<i>Cyclamen europæum</i>	<i>European</i>	5	...	129	hPb	r.	½	...	6
306	— — —	<i>fine mixed</i>	...	...	...	gPb	w&r	...	3-8	1 0
307	<i>Cynoglossum glochidatum</i>	<i>glochidate</i>	...	...	72	hB	b.	3	7-8	3
308	<i>Cy'tisus alpinus</i>	<i>(Scotch Laburnum)</i>	16	45	104	hT	y.	30	5-6	3
309	— <i>Laburnum</i>	<i>(English Laburnum)</i>	...	...	...	...	...	15	...	3
310	— — —	<i>5 species separate</i>	...	...	...	hS	...	3	6-8	1 0
311	— — —	<i>fine mixed</i>	...	...	...	...	...	...	...	6
312	<i>Dahlia glabrata</i>	<i>smooth (stalked)</i>	19	54	81	fPb	pur.	1½	7-9	6
313	— <i>variabilis, Willd.</i>	<i>variable (double)</i>	...	...	...	...	div.	4	8-10	6
314	<i>Datura cerascaula</i>	<i>horn-stalked</i>	5	25	141	hA	w&ro	3	7-8	6
315	— <i>fastnosa flore pleno</i>	<i>double showy</i>	...	...	...	...	b.	2	...	6
316	— <i>alba flore pleno</i>	<i>double white showy</i>	...	...	...	...	w.	...	...	6
317	<i>Danbentonia Tripetiana</i>	<i>Tripel's</i>	17	45	104	gS	s & o	6	...	1 0
318	<i>Delphinium chinense</i>	<i>Chinese</i>	13	28	131	hP+	b.	1	...	3
319	— <i>album</i>	<i>white Chinese</i>	...	...	...	...	w.	...	...	3
320	— — —	<i>finest mixed, 12 var.</i>	...	...	...	...	div.	...	...	6
321	— <i>azüream</i>	<i>azure</i>	...	...	...	...	b.	2	...	3
322	— <i>grandiflorum</i>	<i>large-flowered</i>	...	...	...	...	...	1½	...	3
323	— <i>lazinium</i>	<i>lazinine</i>	...	...	...	...	...	2	...	3
324	— <i>ochroleucum</i>	<i>pale yellow</i>	...	...	...	...	yl.w	...	...	3
325	— <i>puniceum</i>	<i>erimson</i>	...	...	...	...	cr.	...	...	6
326	— <i>speciosum</i>	<i>showy</i>	...	...	...	...	b.	...	...	3
327	— <i>splendidum</i>	<i>splendid</i>	...	...	...	...	...	...	...	6
328	— <i>tricolor</i>	<i>three-coloured</i>	...	...	...	...	3col.	...	...	6
329	— — —	<i>Nos. 318 to 328</i>	...	...	...	...	div.	div.	...	3 0
330	— — —	<i>finest mixed</i>	...	...	...	...	...	...	...	6
331	<i>Dianthus atrorubens fl. pl.</i>	<i>double dark red</i>	10	26	140	...	d. r.	1	6-8	6
332	— <i>atroviolaceus fl. pl.</i>	<i>double dark violet</i>	...	...	...	...	d. v.	...	...	6
333	— <i>barbatus pl. var.</i>	<i>Sweet William</i>	...	...	...	hP	div.	1½	...	3
334	— <i>coccineus</i>	<i>scarlet</i>	...	...	...	...	sc.	...	...	6
335	— <i>flore-pleno</i>	<i>— double. See p. 27.</i>	...	...	...	...	div.	...	...	6
336	<i>Caryophyllus</i>	<i>Carnation</i>	...	...	...	...	...	2	...	3

<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>			Ci.	O.	N.O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
337	<i>Dianthus Caryophyllus fl. pl.</i>	(double Carnation)	10	26	140	hP	div.	2	6-8	1 0
338	— — bicolor striatus	— double Flakes	...	...	...	fP	...	...	...	2 6
339	— — variegatus	— double Bizarres	...	...	...	...	...	...	...	2 6
340	— — albo-punctatus	(Picotees, white gr.)	...	...	...	...	...	...	...	2 6
341	— — luteo-punctatus	(— yellow grounds)	...	...	...	...	...	...	...	2 6
342	— — —	Nos. 337 to 341	...	...	...	...	...	...	...	10
343	— — —	fine d. m. Carnation	...	...	...	...	...	...	...	2 6
344	— — —	fine d. m. Picotee	...	...	...	...	...	...	...	2 6
345	cancasicus	Caucasian	...	...	...	...	pur.	1	...	6
346	chinensis*	(Indian Pink) 20 var.	...	...	...	hB+	div.	...	...	6
347	— flore pleno*	— double	...	...	...	...	...	...	...	6
348	— — albus*	— white	...	...	...	...	w.	...	...	6
349	— — hybridus*	— hybrid	...	...	...	...	div.	...	...	6
350	deltoides	Maiden Pink, 2 var.	...	...	...	...	r&w	$\frac{3}{4}$	...	3
351	giganteus	gigantie	...	...	...	hB	r.	2	...	3
352	hispanicus*	Spanish	...	...	...	hP+	div.	1	...	3
353	— splendens	splendid	...	...	...	...	se.	...	...	6
354	imperialis	Imperial	...	...	...	hB+	div.	...	...	6
355	japonicus	Japan	...	...	...	hP+	se.	...	...	6
356	latifolius	broad-leaved	...	...	...	hB+	div.	...	...	3
357	moschatius	musk (Garden Pink)	...	...	...	hP	w&p	$1\frac{1}{2}$	...	3
358	— flore-pleno	(doub. Garden Pink)	...	...	...	...	...	...	1 0	...
359	plumarius	feathered Pink	...	...	...	...	...	...	...	6
360	pulchellus*	pretty	...	...	...	...	div.	1	...	3
361	suavis	sweet	...	...	...	...	pk.	...	...	6
362	superbus	superb	...	...	...	...	li.	$1\frac{1}{2}$	...	3
363	— — —	Nos. 345 to 362	...	...	...	...	div.	div.	...	6 0
364	— — —	6 finest sorts	...	...	...	...	...	...	...	3 0
365	<i>Didiscus caruleus</i>	blue (Trachymene)	5	25	148	hbA	hl.	2	7-8	6
366	<i>Digitalis aurea</i>	golden	14	59	137	hP+	y.	$1\frac{1}{2}$	...	3
367	ferruginea	iron-coloured	...	...	...	...	br.	...	...	3
368	grandiflora	large-flowered	...	...	...	...	y.	...	...	3
369	purpurea	purple	...	...	...	hP	p.	3	...	3
370	— alba	white	...	...	...	...	w.	...	...	3
371	— bicornuta	two-horned	...	...	...	...	...	...	...	3
372	— punctata	spotted	...	...	...	...	spo.	...	...	3
373	— rosea	rose-coloured	...	...	...	...	ro.	...	...	3
374	— — —	Nos. 366 to 373	...	...	...	...	div.	...	...	1 6
375	<i>Diosma</i>	4 fine species	5	25	134	gS	w.	...	3-7	2 6
376	<i>Dillwynia angustifolia</i>	narrow-leaved	10	...	104	...	y.	...	5-6	1 0
377	<i>Dodecatheon Meadia</i>	Meadia	5	...	129	fP	l. pu.	1	6-8	6
378	<i>Dolichos lignosus</i>	ligneous*	17	45	104	gS	pur.	12	...	6
379	capensis	Cape*	...	...	...	...	y.	6	...	6
380	<i>Dracoccephalum arguense</i>	Argun	14	58	103	hP	b.	$1\frac{1}{2}$	7-8	6
381	altaicense	Attaian	...	...	...	...	...	1	...	3
382	canariense	(Balm of Gilead)	...	...	...	fP	r & p	$1\frac{1}{2}$	...	3
383	<i>Echium ferox</i>	(spiny)	5	25	72	fS	w.	2	...	6
384	fruticosum	shrubby	...	...	...	...	pk.	...	...	6
385	plantaginicum	Plantain-leaved	...	...	...	hA	pur.	$1\frac{1}{2}$	...	3
386	<i>Elichrysium macranthum</i>	long-flowered	19	54	81	hlhA	l. ro.	...	...	3
387	bracteatum	(yell. Xeranthemum)	...	...	...	...	y.	...	...	3
388	— album	(wh. Xeranthemum)	...	...	...	...	w.	...	...	3
389	— — —	8 var. mixed	...	...	...	...	div.	...	...	6
390	— — —	Nos. 386 to 389	...	...	...	...	...	...	...	1 0
391	argentum	silvery	...	...	...	gS	w.	2	5-7	1 0
392	fulgidum	glowing	...	...	...	...	y.	...	3-9	1 0
393	maritimum	sea-side	...	...	...	...	w&y.	4	6-8	6
394	sesamoides	Sesamum-like	...	...	...	...	p&w	2	4-6	1 0
395	speciosissimum	most showy	...	...	...	...	...	8	7-9	1 0
396	Stachelina	Stachelina	...	...	...	...	w.	$1\frac{1}{2}$	1-12	6

*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded.

<i>A—indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>		L.	Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.										feet		s. d.
397	Elichry'sum	Nos. 391 to 396	19	54	81	gS	div.	div.	div.	div.	div.	5 0
398	— — —	mixed greenhouse E.	...	...	...	...	...	...	...	...	...	1 0
399	Epàeris	extra fine mixed	5	25	88	...	...	...	...	2	...	2 6
400	Epiphyllum et Cactus	finest mixed	12	...	73	sS	...	...	div.	...	...	1 0
401	Eragrostis elegans*	elegant	3	26	98	hA	gn.	1	7-8	...	...	6
402	Eranthis hycmàlis	winter (Aconites)	13	55	131	hPb	y.	4	1-3	...	...	3
403	Eremùrns spectàbilis	showy	6	25	105	...	...	2	5-6	6	...	...
404	Erica capitata	(head-flowering)	8	...	89	gS	...	1½	4-7	1	...	0
405	cerinthoides	Cerinth-like	...	...	...	...	sc.	2	5-8	1	...	0
406	coriifolia	Coris-leaved	...	...	...	...	l. pu.	1½	8-10	1	...	0
407	cruenta	blood-red	...	...	...	...	r.	2	5-8	1	...	0
408	gnaphaloides	Gnaphatium-like	...	...	...	...	w.	1	2-8	1	...	0
409	imbricata	imbricated	...	...	...	...	pk.	2	5-8	1	...	0
410	lutea	yellow	...	...	...	...	l.	1	2-5	1	...	0
411	mammòsa	mammose	...	...	...	...	pur.	2	7-9	1	...	0
412	margaritæcca	pearl	...	...	...	...	w.	1½	5-9	1	...	0
413	Patersoniàna	Pater'son's	...	...	...	...	y.	2½	4-9	1	...	0
414	perspicua	transparent	...	...	...	...	pk.	2½	5-6	1	...	0
415	Petiverii	Petiver's	...	...	...	...	y.	2	3-7	1	...	0
416	Plukenetii	Plukenet's	...	...	...	...	r.	½	5-7	1	...	0
417	pulehella	pretty	...	...	...	...	...	2½	7-8	1	...	0
418	purpùrea	purple	...	...	...	...	p.	2	6-8	1	...	0
419	ramentæcca	ramentaceous	...	...	...	...	d. r.	1½	7-11	1	...	0
420	Sebàna	Seba's	...	...	...	...	o.	2	3-6	1	...	0
421	spicata	spiked	...	...	...	...	l. y.	2½	3-9	1	...	0
422	vestita	clothed	...	...	...	...	w.	3	...	...	...	1 0
423	versicolor	various-coloured	...	...	...	...	o. & r.	2	5-9	1	...	0
424	— — —	Nos. 404 to 423	...	...	...	...	div.	div.	div.	div.	div.	15s
425	— — —	10 fine species	...	...	...	...	...	...	...	...	...	7 6
426	— — —	finest mixed, 20 sp.	...	...	...	...	...	...	...	...	...	2 6
427	Erinus alpinus	alpine	14	59	137	hP†	li.	½	4-6	6	...	...
428	Eryngium giganteum	gigantic	5	26	148	hP	...	2	7-8	6	...	...
429	Ery'simum Peroffskianum	Peroffski's	15	61	84	hA	o.	1	6-7	3	...	...
430	Erythrina caffra	Caffrarian	17	45	104	gS	sc.	6	5-7	1	...	0
431	crista-Galli	Cock's-comb	...	...	...	sS	...	30	6-8	1	...	0
432	Eschscholtzia crœca	orange	13	29	121	hA	o.	1½	7-8	...	...	3
433	californica	Californian	...	...	...	...	y.	...	...	...	...	3
434	compacta	compact	...	...	...	...	...	1	...	...	...	3
435	Eucharidium concinnum	neat	8	25	120	...	pur.	...	...	...	...	3
436	grandiflorum	large-flowered	...	...	...	...	ro.	...	...	...	...	3
437	Euphorbia variegata	variegated	11	28	91	hA	v. lf.	...	8-9	6	...	...
438	Eutœca divaricata	spreading	5	25	99	hA	li.	...	7-8	...	...	3
439	Manglèsii	Capt. Mangles'	...	...	...	...	...	...	...	...	...	3
440	multiflora	many-flowered	...	...	...	...	lav.	...	...	...	...	3
441	viscida	viscid (extra)	...	...	...	...	b.	...	...	...	...	3
442	Wrangeliàna	Wrangel's	...	...	...	...	li.	...	...	...	...	3
443	— — —	Nos. 438 to 442	...	...	...	...	div.	...	...	...	...	1 0
444	Férula tingitana	Tangiers	...	26	148	hB	y.	6	6-7	6	...	...
445	Francœa appendiculata	appendiced	8	29	93	...	pk.	2	7-8	3	...	...
446	Fritillaria imperialis	(Crown Imperial)	6	25	105	hPb	div.	...	4-6	6	...	...
447	meleagris	(Fritillary)	...	...	...	...	...	1	5-6	6	...	...
448	Fuchsia	splendid mixed	8	...	120	gS	...	div.	6-9	1	...	0
449	Galgœa orientalis	oriental	17	41	94	hP	b.	3	6-8	3	...	...
450	Gaillardia bicolor	two-coloured	19	55	81	hP†	y&br	1½	7-9	3	...	...
451	pecta Drummondii	painted	...	...	...	...	y&sc	...	...	...	...	6
452	— coccinea	scarlet	...	...	...	...	sc.	...	...	...	...	6
453	— fistulosa	quilted	...	...	...	...	y&sc	...	...	...	...	6
454	— nana	dwarf	...	...	...	...	s & y	1	...	...	...	6
455	— Wellsiàna	Wells's	...	...	...	...	var.	1½	...	...	...	6
456	Richardsoni	Richardson's	...	...	...	...	o.	...	...	...	...	3

<i>A—indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>		Cl.	L.	O.	N.O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
457	Gaillardia	Nos. 450 to 456	19	55	81	hP+	div.	1½	7 9	2 6
458	Gardënia Thunbergii	Thunberg's	5	25	77	gS	w.	6	3-7	1 0
459	Rothmannia	Rothmann's	...	...	...	...	l. y.	8	6-8	1 0
460	Gazania rigens	stiff	19	55	81	...	y.	1	5-9	1 0
461	Genista	fine species	16	45	104	...	...	2	7-8	6
462	Gentiana acaulis	stemless	5	26	95	hP+	b.	½	4-7	6
463	Amarella	Amarella	...	...	...	hA	pur.	...	7-8	6
464	cruciata	crossed	...	...	...	hP+	h.	1	6-7	6
465	hybrida	hybrid	...	...	...	...	y & p	2½	...	6
466	lutea	yellow	...	...	...	hP	y.	...	7-8	6
467	macrophylla	long-leaved	...	...	...	...	b.	1	...	6
468	— — —	Nos. 462 to 467	...	...	...	div.	div.	div.	div.	2 6
469	Geranium	hardy mixed	16	42	96	hP	...	1½	6-8	6
470	Gesnera	finest mixed, 10 var.	14	59	97	sSh	...	2	...	1 0
471	Gœum coccineum	scarlet	12	35	133	hP+	sc.	...	...	6
472	— atrosanguineum	dark blood-colour	...	...	...	...	d. se.	...	...	6
473	— splendens fl. pl.	splendid double	...	...	...	...	se.	...	...	6
474	— superbum	superb (new)	...	...	...	...	...	...	...	6
475	— — —	Nos. 471 to 474	...	...	...	...	...	...	...	1 6
476	Gilia achilleifolia	Milfoil-leaved	5	25	125	hA	b.	1½	6-7	3
477	capitata	headed, 2 var.	...	...	...	...	b & w	...	...	3
478	nivalis*	(snow-white)	...	...	...	...	w.	1	...	3
479	tricolor*	three-coloured	...	...	...	...	3 col.	...	...	3
480	— albo-coelestis*	white and blue	...	...	...	...	w & b	...	...	3
481	— splendens*	splendid	...	...	...	...	ro.	...	...	3
482	— — —	Nos. 476 to 481	...	...	...	...	div.	...	...	1 3
483	Gladiolus v. Herbertianus	(splendid mixed)	3	...	101	flPb	...	2	7-9	1 0
484	hybridus coccineus	scarlet	...	...	...	...	sc.	1½	...	6
485	Gloxinia	finest mixed	14	59	97	sSh	div.	...	6-9	1 0
486	Glycine incarnata	flesh-coloured	17	45	104	yS	fl.	6	7-8	1 0
487	Gnaphalium grandiflorum	large-flowered	19	54	81	...	w.	3	6-8	1 0
488	modestum	modest	...	...	...	...	r.	1	7-9	6
489	Guilia pinifolia	pine-leaved	8	25	144	...	ly.	2	5-7	1 0
490	Godetia (Gnethera)	(finest mixed)	...	...	120	hA	div.	1½	7-8	6
491	hifrons	(two-fronted)	...	...	...	...	l. pu.	...	...	3
492	insignis	remarkable	...	...	...	...	spot.	...	...	3
493	Lehmannii	Lehmann's	...	...	...	...	var.	...	...	3
494	lœpida	pleasing	...	...	...	...	li.	...	...	3
495	Lindleyana	Lindley's	...	...	...	...	l. p.	...	...	3
496	purpurea	purple	...	...	...	...	pur.	...	...	3
497	quadrivulvata	four-spotted	...	...	...	...	spot.	...	...	3
498	Romanzovii	Romanzow's	...	...	...	...	pur.	...	...	3
499	roseo-alba	rose and white	...	...	...	...	ro & w	...	...	3
500	rubiunda	blushing	...	...	...	...	c. pu.	...	...	3
501	tennifolia	slender-leaved	...	...	...	...	v.	...	...	3
502	vinifolia	twiggy	...	...	...	...	li.	...	...	3
503	vinosa	(wine-coloured)	...	...	...	...	clar.	1	...	3
504	Willdenovii	Willdenow's	...	...	...	...	div.	...	...	3
505	— — —	Nos. 491 to 504	...	...	...	...	...	...	...	3 0
506	Goodia lotifolia	Lotus-leaved	16	45	104	yS	y.	3	6-7	6
507	pubescens	hairy	...	...	...	...	...	...	...	6
508	Grammanthes gentianoides	Gentian-like	5	26	83	hhA	...	½	7-8	6
509	Griechum tennifolium	slender-leaved	10	30	133	gP	...	2	5-6	6
510	Gypsophila elegans	elegant	...	26	140	hA	w & p	¾	7-8	3
511	Ileosteiretia sp. fragrans	fragrant	14	59	150	hhA	w.	1	...	6
512	Hedy'cium Gardnerianum	Gardner's	5	25	136	sS	y.	6	6-9	6
513	Hedy'sarum canadense	Canadian	17	45	104	hP+	pur.	...	7-8	3
514	Helenium Douglasii	Douglas's	19	54	81	hA	y.	2	...	3
515	Helianthemum guttatum	spotted	13	25	78	...	...	½	...	3
516	apenninum	Apennine	...	...	...	hP	w.	...	5-7	6
517	grandiflorum	large-flowered	...	...	...	...	y.	1	6-7	6

*A*—indicates a variety. ( ) That the word is not literally translated, or is superadded.

No.		Li.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
							feet		s. d.
518	<i>Helianthemum</i>	splendid m., 20 var.	13	25	78	hP†	div.	1	5-7 1 0
519	<i>Heliophila arabioides*</i>	<i>Arabis</i> -like	15	61	84	hhA	b.	...	7-8 6
520	<i>integrifolia</i>	entire-leaved	...	...	...	...	...	...	6
521	<i>stricta</i>	upright	...	...	...	...	...	...	6
522	<i>trifida</i>	three-cut	...	...	...	...	pur.	...	6
523	<i>Heliotropium grandiflorum</i>	large-flowered	5	25	72	gS	li.	2	...
524	<i>peruvianum</i>	Peruvian	...	...	...	...	...	...	6
525	<i>Voltaireanum</i>	Voltaire's	...	...	...	...	v.	...	6
526	— — —	finest mixed	...	...	...	...	div.	...	1 0
527	<i>Helleborus niger major</i>	(Christmas Rose)	13	55	131	hPb	pk.	1	1-5 6
528	<i>Hibiscus africanus</i>	African	16	48	112	hA	y&br	2	7-8 3
529	<i>calisireus</i>	(fine new)	...	...	...	...	...	...	6
530	<i>Humboldtii</i>	Humboldt's	...	...	...	...	...	...	3
531	<i>palustris</i>	marsh, 2 var.	...	...	...	hP†	w&r	3	...
532	<i>Fullerianus</i>	Fuller's	...	...	...	gP	r.	2	...
533	<i>grandiflorus albus</i>	large-flowered white	...	...	...	fS	w.	3	...
534	<i>inmutabilis</i>	unchangeable	...	...	...	gS	r.	2	...
535	<i>insignis (Cameroni)</i>	beautiful	...	...	...	sS	ro.	...	6
536	<i>Manihot</i>	Manihot	...	...	...	gP†	y.	...	6
537	<i>militaris</i>	military (armed)	...	...	...	...	pur.	...	6
538	<i>Moscheutos</i>	Moscheutos	...	...	...	...	w.	...	6
539	— <i>roseus</i>	rose-coloured	...	...	...	...	ro.	...	6
540	<i>mutabilis</i>	changeable	...	...	...	sS	w&p	8	...
541	<i>speciosus</i>	showy	...	...	...	gP	sc.	3	...
542	<i>virginicus</i>	Virginian	...	...	...	hP	r.	...	6
543	<i>syriacus</i>	Syrian	...	...	...	hS	div.	6	...
544	— — —	6 fine species	...	...	...	g.	div.	...	2 6
545	— — —	fine mixed Stove	...	...	...	s.	...	...	1 0
546	— — —	fine mixed Greenh.	...	...	...	g.	...	...	1 0
547	<i>Hieracium speciosum</i>	showy	19	53	81	hP	y.	1½	...
548	<i>Hivea Celsi</i>	Cels's	16	45	104	gS	b.	6	6-8 1 0
549	<i>purpurea</i>	purple	...	...	...	...	pur.	...	1 0
550	<i>Humea elegans</i>	elegant	19	53	81	hB†	r.	5	6-9 6
551	<i>Hypæicum elegans</i>	elegant	18	48	100	hP†	y.	1½	6-7 3
552	<i>Iberis Tenoreana</i>	Tenore's	15	60	84	...	pur.	1	6-8 6
553	<i>Impatiens glanduligera</i>	glandular	5	25	68	hhA	r.	2½	7-8 3
554	— <i>flore-albo</i>	white-flowered	...	...	...	...	w.	...	3
555	<i>Incarvillea grandiflora**</i>	large-flowered	14	59	71	gS	o.	8	7-9 6
556	<i>Indigófera Dósua</i>	Dósua	17	45	104	sS	ro.	3	5-7 1 0
557	— — —	3 fine species	...	...	...	gS	div.	...	6
558	<i>Ipomæa coccinea**</i>	scarlet	5	25	82	gA	sc.	10	7-9 6
559	— <i>luteola**</i>	yellowish	...	...	...	...	yh.	...	6
560	<i>bona-nox**</i>	Good Night!	...	...	...	sA	w.	...	6
561	<i>Quamoclit**</i>	Quamoclit	...	...	...	...	sc.	6	...
562	— <i>flore-albo**</i>	white-flowered	...	...	...	...	w.	...	6
563	<i>rubro-cærulea**</i>	(sky-blue)	...	...	...	...	b.	10	...
564	<i>tyrianthina**</i>	(Tyrian purple)	...	...	...	sPb†	pur.	...	1 0
565	<i>sp. ex. Arabia**</i>	Arabian species	...	...	...	sS†	p&y	...	1 0
566	— — —	Nos. 558 to 565	...	...	...	div.	div.	div.	5 0
567	<i>hederacea**</i>	Ivy-like	...	...	...	hhA	b.	10	...
568	<i>purpurea grandiflora**</i>	large-flowered pur.	...	...	...	...	pur.	...	6
569	— <i>kermesina**</i>	crimson (new)	...	...	...	...	cr.	...	6
570	<i>Nil**</i>	Nil	...	...	...	...	b.	...	6
571	— — —	Nos. 567 to 570	...	...	...	...	div.	...	1 6
572	<i>Ipomopsis elegans</i>	elegant	...	...	125	fb†	sc.	1½	7-8 6
573	— <i>picta</i>	painted	...	...	...	...	...	2½	...
574	— <i>aurantiaca</i>	orange	...	...	...	...	o.	...	6
575	<i>Beyrichii</i>	Beyrich's	...	...	...	...	l. s.	...	6
576	<i>superba</i>	superb	...	...	...	...	sc.	...	6
577	— — —	Nos. 572 to 576	...	...	...	...	o.&s.	...	2 0



<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>		Cl.	L.	O.	N.	O.	H.	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
No.											feet	s. d.	
578	<i>Ipomopsis</i>	<i>fine mixed</i>	5	25	125	fB+	o & s				2½	7-8	1 0
579	<i>Iris xiphioides</i>	<i>(splendid English)</i>	3	...	101	hPb	div.				1½	...	6
580	<i>Isótoma axillàris</i>	<i>axillary</i>	5	...	109	gP+	b.				...	6-8	6
581	<i>Ixia</i>	<i>finest mixed</i>	3	...	101	fPb	div.				1	5-6	6
582	<i>Jasminum fruticans</i>	<i>shrubby</i>	2	...	102	hS	y.				3	5-9	6
583	<i>Justítia speciòsa</i>	<i>showy</i>	...	...	62	sS	pur.				4	8-9	6
584	<i>Kanlfussia amelloides*</i>	<i>Amellus</i>	19	54	81	hA	b.				¾	7-8	3
585	<i>Kennèdya Marryattæ**</i>	<i>Marryatt's</i>	17	45	104	gS	se.				10	5-8	1 0
586	<i>Comptoniàna**</i>	<i>Compton's</i>	...	...	...	...	b.				...	...	6
587	<i>monophylla**</i>	<i>single-leaved</i>	...	...	...	...	...				...	...	6
588	<i>rubinunda**</i>	<i>blushing</i>	...	...	...	...	bh.				...	...	6
589	<i>— grandiflora**</i>	<i>— large-flowered</i>	...	...	...	...	...				...	...	1 0
590	<i>— — —</i>	<i>Nos. 585 to 589</i>	...	...	...	...	div.				...	...	3 0
591	<i>— — —</i>	<i>finest mixed</i>	...	...	...	...	...				...	...	1 0
592	<i>Lantana Selloviàna</i>	<i>Sellow's</i>	14	59	150	hP+	r.				1	7-8	6
593	<i>Lasthènia californica*</i>	<i>Californian</i>	19	54	81	hA	y.				¾	...	3
594	<i>— glabràta*</i>	<i>glabrous</i>	...	...	...	...	...				...	...	3
595	<i>Láthyrus azureus major</i>	<i>large blue</i>	17	45	104	...	b.				2	...	3
596	<i>— latifolius**</i>	<i>(Evertasting Pea)</i>	...	...	...	hP+	r.				8	...	3
597	<i>— albus**</i>	<i>white do.</i>	...	...	...	...	w.				...	...	3
598	<i>— purpureus**</i>	<i>purple do.</i>	...	...	...	...	p.				...	...	6
599	<i>— rotundifolius</i>	<i>round-leaved, extra</i>	...	...	...	...	...				1½	...	6
600	<i>— speciòsus</i>	<i>showy</i>	...	...	...	...	cr.				2	...	3
601	<i>— — —</i>	<i>Nos. 595 to 600</i>	...	...	...	...	div.				div.	...	2 0
602	<i>Lawsònia inermis</i>	<i>(Tree-Mignonette)</i>	8	25	110	sS	w.				8	6-8	6
603	<i>Leptósiphon densiflorus</i>	<i>thick-flowered</i>	5	...	125	hA	p.				¾	7-8	3
604	<i>— androsæceus</i>	<i>Androsace-like</i>	...	...	...	...	li & w.				1	...	3
605	<i>— albus</i>	<i>white</i>	...	...	...	...	w.				...	...	3
606	<i>— lilacinus</i>	<i>lilac</i>	...	...	...	...	li.				...	...	3
607	<i>— — —</i>	<i>Nos. 603 to 606</i>	...	...	...	...	div.				...	...	1 0
608	<i>Leucadendron argenteum</i>	<i>(Silver Tree)</i>	22	39	130	gS	y.				12	8-9	1 0
609	<i>— plumòsum</i>	<i>feathered</i>	...	...	...	...	...				4	7-8	6
610	<i>— — —</i>	<i>A fine sp. mixed</i>	...	...	...	...	...				...	...	1 0
611	<i>Leucospermum tottum</i>	<i>Hottentot</i>	4	25	...	...	...				3	...	1 0
612	<i>— hypophyllum</i>	<i>under-leaved</i>	...	...	...	...	...				3	...	1 0
613	<i>— — —</i>	<i>6 fine sp. mixed</i>	...	...	...	...	...				3	...	1 0
614	<i>Leycesteria formòsa</i>	<i>beautiful</i>	5	...	76	hP+	w & p				1½	...	6
615	<i>Leyssèra gnaphaloides</i>	<i>Gnaphalium-like</i>	19	54	81	gS	o.				2	7-9	6
616	<i>Liatris heterophylla</i>	<i>various-leaved</i>	...	53	...	hP	pur.				3	7-8	6
617	<i>Limnanthes Douglassii</i>	<i>Douglas's</i>	10	25	106	hA	w & y				¾	...	3
618	<i>— grandiflora</i>	<i>large-flowered</i>	...	...	...	...	...				1	...	3
619	<i>Linària alpina</i>	<i>Alpine (2 var.)</i>	14	59	137	fP+	b & y				...	6-9	6
620	<i>— spartea</i>	<i>Spartan</i>	...	...	...	hA	y.				...	7-8	3
621	<i>— speciosa</i>	<i>showy</i>	...	...	...	...	p & y				...	...	3
622	<i>— triornithóphora</i>	<i>3 birds bearing</i>	...	...	...	fP+	pur.				...	...	3
623	<i>— versicólor</i>	<i>various-coloured</i>	...	...	...	hA	y & p				...	...	3
624	<i>— — —</i>	<i>6 sp. separate</i>	...	...	...	A & P	div.				...	...	1 6
625	<i>Linum austriacum</i>	<i>Austrian</i>	5	30	107	hP+	b.				...	...	3
626	<i>— grandiflorum</i>	<i>large-flowered</i>	...	...	...	...	...				...	...	3
627	<i>— album</i>	<i>white</i>	...	...	...	...	w.				...	...	3
628	<i>— perenne</i>	<i>perennial</i>	...	...	...	...	b.				2	6-7	3
629	<i>Lipària</i>	<i>3 sp. Cape</i>	...	...	...	gS	o & y				3	6-8	1 0
630	<i>Lisianthus Russellianus</i>	<i>Duke of Bedford's</i>	...	25	95	gA	pur.				...	7-9	6
631	<i>Loàsa aurantiaca**</i>	<i>orange</i>	18	48	108	hP+	o.				8	7-8	3
632	<i>— Herbertii**</i>	<i>Herbert's</i>	...	...	...	...	...				...	...	3
633	<i>— Pentlandica**</i>	<i>Pentland's</i>	...	...	...	...	d. o.				...	...	6
634	<i>— — —</i>	<i>finest mixed</i>	...	...	...	...	o.				...	...	6
635	<i>— tricolor</i>	<i>three-coloured</i>	...	...	...	...	3col.				2	...	3
636	<i>— — —</i>	<i>Nos. 631 to 635</i>	...	...	...	hA	div.				2 & 8	...	1 6
637	<i>Lobèlia azurea*</i>	<i>azure</i>	5	25	109	hP+	az.				½	6-8	6

*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded.

No.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
								feet		s. d.
638	Lobelia decumbens	reclining	5	25	109	hhP†	b.	$\frac{1}{2}$	6-8	6
639	— crinoides	Erinus-like	...	...	...	...	l. b.	$\frac{1}{2}$	...	3
640	— compacta	compact	...	...	...	...	...	...	...	6
641	— grandiflora	large-flowered	...	...	...	...	...	...	...	6
642	gracilis*	slender	...	...	...	hhA	b.	1	...	3
643	— alba*	white	...	...	...	...	w.	...	...	3
644	— rosea*	rose-coloured	...	...	...	...	ro.	...	...	3
645	heterophylla	various-leaved	...	...	...	hhP†	b.	$1\frac{1}{2}$	...	6
646	— rosea	(new rose-col.)	...	...	...	...	ro.	...	1 0	...
647	propinqua	related	...	...	...	...	pu.	$2\frac{1}{2}$	...	6
648	ramosa*	branching	...	...	...	...	b.	$1\frac{1}{2}$	...	6
649	— — —	6 finest varieties	...	...	...	div.	div.	div.	2 6	...
650	cardinalis	(scarlet)	...	...	...	gP	sc.	3	...	6
651	ignea	flame-coloured	...	...	...	...	l. sc.	...	...	6
652	siphilitica	(large blue)	...	...	...	...	b.	2	...	6
653	Lonigera alpigena	alpine	...	...	76	hS	y.	6	5-7	6
654	Lopezia coronata	crown-flowered	1	...	120	hA	r.	$1\frac{1}{2}$	7-8	3
655	racemosa	bunch-flowered	...	...	...	...	...	...	...	3
656	Lophoclinium hirtum	hairy	19	54	81	hhA	y.	...	...	6
657	Lophospermum scandens**	climbing	14	59	137	gS†	ro.	8	7-9	6
658	— grandiflorum**	large-flowered	...	...	...	...	...	...	1 0	...
659	— Hendersoni**	Henderson's	...	...	...	...	spot.	...	...	6
660	— spectabile**	showy	...	...	...	...	d. ro.	...	...	6
661	Rhodochiton**	Rhodochiton	...	...	...	...	pur.	...	...	6
662	— — —	Nos. 657 to 661	...	...	...	...	div.	...	2 6	...
663	— — —	finest mixed	...	...	...	...	...	...	...	6
664	Lötus jacobaeus	St. James' Island	17	45	104	gA	d. br.	1	7-8	6
665	Lupinus bicolor	two-coloured	16	...	...	bA	b & w	...	...	3
666	Hartwegii	Hartweg's	...	...	...	...	b & pk	$1\frac{1}{2}$	...	3
667	leptophyllus	slender-leaved	...	...	...	...	b & c	2	...	3
668	mexicanus	Mexican	...	...	...	...	b.	...	...	3
669	micranthus*	small-flowered	...	...	...	...	pur.	$1\frac{1}{2}$	...	3
670	mutabilis	variable	...	...	...	...	var.	2	...	3
671	— Cruikshanksii	Cruikshanks'	...	...	...	...	b & y	...	...	3
672	nanus*	dwarf	...	...	...	...	va. b.	1	...	3
673	pulehellus	pretty	...	...	...	...	b & pu	2	...	3
674	— — —	Nos. 665 to 673	...	...	...	...	div.	div.	2 0	...
675	arborescens pl. var.	tree-like mixed	...	...	...	hP†	...	6	...	6
676	elegans	elegant	...	...	...	...	v & ro	2	...	6
677	grandifolius	large-leaved	...	...	...	...	pur.	$2\frac{1}{2}$	...	3
678	lepidus	pleasing	...	...	...	...	b & pk	$1\frac{1}{2}$	...	6
679	leucophyllus	white-leaved	...	...	...	...	pk.	2	...	6
680	Marshallianus	Marshal's (mixed)	...	...	...	...	div.	...	...	6
681	ornatus	ornamented	...	...	...	...	b & ro	...	...	6
682	polyphyllus	many-flowered	...	...	...	...	b.	3	...	3
683	— albus	white	...	...	...	...	w.	...	...	3
684	— speciosus	showy	...	...	...	...	div.	...	...	3
685	— — —	Nos. 675 to 684	...	...	...	...	div.	...	3 6	...
686	— — —	extra fine mixed	...	...	...	...	...	...	...	6
687	Lusania calycina	large-calyced	14	59	137	...	w.	1	...	3
688	Lychnis corsica	Corsican	10	31	140	...	r.	...	...	3
689	chalcidonica	(scarlet)	...	...	...	...	sc.	2	...	3
690	— alba	white	...	...	...	...	w.	...	...	3
691	Flos-Jovis	Jove's Flower	...	...	...	...	r.	$1\frac{1}{2}$	...	3
692	fulgens	glowing	...	...	...	fP	sc.	1	...	6
693	Lythrum roseum superbum	superb rosy	11	25	110	hhP	ro.	$1\frac{1}{2}$	...	6
694	Madia elegans	elegant	19	54	81	hA	y.	3	...	3
695	Magnolia grandiflora	large-flowered	13	35	111	hT	w.	15	7-9	6
696	Málope trifida	thrice-cut	16	48	112	hA	r.	2	7-8	3
697	— alba	white	...	...	...	...	w.	...	...	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	Cl.	L.	O.	N.	O.	H.	N.	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
No.													feet		s. d.
698	Málope grandiflora	large-flowered	16	48	112	hA	r.	2	7-8						3
699	— purpurea	purple	...	...	...	pur.	sc.	3	6-8						3
700	Malva fragrans	fragrant	...	...	...	gS	s & w	2	7-8						6
701	chineusis	Chinese, 2 var.	...	...	...	hA	stri.	...	...						3
702	mauritiána zebriua	(striped)	...	...	...	...	...	...	...						3
703	miniata	vermillion	...	...	...	hhS	r.	...	...						3
704	moschata	musk-scented	...	...	...	hP†	w.	...	...						3
705	Mandevillea suaveolens**	fragrant	5	25	65	sS	...	12	6-9	1	0				0
706	Marty'nia angularis	angular	14	59	139	hhA	r.	2½	7-8						6
707	craniolaria	skull-like	...	...	...	...	w.	...	...						6
708	fragrans formosa	beautiful	...	...	...	...	cr.	...	...						6
709	lutea	yellow	...	...	...	...	y.	...	...						6
710	— — —	Nos. 705 to 709	...	...	...	...	div.	...	...						1
711	Maurandya antirrhiniflora	snapdragon-flwd.**	...	...	137	gS	pnr.	10	4-9						6
712	Barclayana**	Barclay's	...	...	...	...	b & w	...	...						6
713	— albiflora**	white	...	...	...	...	w.	...	...						6
714	— atropurpurea**	dark purple	...	...	...	...	d. pu.	...	...						1
715	— rosea superba**	superb rose	...	...	...	...	ro.	...	...						6
716	semperflorens**	ever-flowering	...	...	...	...	l. pu.	...	...						6
717	— — —	Nos. 711 to 716	...	...	...	...	div.	...	...						3
718	— — —	finest mixed**	...	...	...	...	...	...	...						1
719	Meconopsis cambrica	(Welch Poppy)	13	25	121	hP†	y.	1	5-8						3
720	Meliantlus coccineus	scarlet	4	...	152	gS	sc.	4	6-8	1	0				6
721	Mesembryanthemum glabrum, smooth	afternoon	12	27	92	hhA	y.	¾	7-8						6
722	pomcridianum	(red)	...	...	...	...	r.	½	...						6
723	tricolor (pyropæum)	white	...	...	...	...	w.	...	...						6
724	— album	Nos. 721 to 724	...	...	...	...	div.	div.	...						1
725	— — —	margined	23	51	104	gS	pur.	3	6-8						6
726	Mimosa marginata**	white-headed	...	...	...	...	w.	4	...						6
727	leucocéphala	scarlet	14	59	137	hhP†	sc.	1½	...						3
728	Mimulus cardinalis	dark blood-red	...	...	...	...	r.	...	...						6
729	— atrosanguineus	saffron	...	...	...	...	saf.	...	...						6
730	— croceus	Nos. 728 to 730	...	...	...	...	div.	...	...						1
731	— — —	musk	...	...	...	...	y.	1	...						6
732	moschatus	showy	...	...	...	...	var.	...	...						3
733	speciosus	splendid new m.	...	...	...	...	div.	...	...						1
734	— — —	fine mixed	...	...	...	...	...	...	...						6
735	— — —	(Balsam Apple)	21	49	85	fA	y.	6	7-8						6
736	Momordica balsamina**	Charantia	...	...	...	...	...	...	...						6
737	Charantia**	elegant	2	25	87	hhP	w & r	3	...	1	0				6
738	Morua elegans	long-flowered	...	...	...	...	pur.	...	...						6
739	longiflora	pinnatifid	19	53	81	hA	y.	...	...						6
740	Moschæria pinnatifida	Heister's	17	43	126	gS	pur.	½	5-7						6
741	Muraltia Heisteria	(Forget-me-not)	5	25	72	hP†	b & y.	1	6-8						6
742	Myosotis palustris	Alpine do.	...	...	...	...	b.	½	...						6
743	alpestris	pedunculated do.	...	...	...	...	hA	...	7-8						6
744	peduncularis	fine mixed	6	...	64	hPh	w & y	1	5-6						3
745	Narcissus	bunch-flowered	14	59	137	hhA	...	½	7-8						6
746	Nemësia floribunda	ear-like (leaved)	5	25	99	hA	pnr.	1½	6-8						3
747	Nemóphila aurita	dotted	...	...	...	...	w.sp.	¾	...						3
748	atomaria*	sky-blue do.	...	...	...	...	b.sp.	...	...						3
749	— celestis*	(bordered)	...	...	...	...	blk.	...	...						3
750	discoïdalis*	beautiful	...	...	...	...	b.	...	...						3
751	insignis*	white	...	...	...	...	w.	...	...						3
752	— alba*	large-flowered	...	...	...	...	b.	...	...						3
753	— grandiflora*	striped	...	...	...	...	stri.	...	...						3
754	— striata*	spotted (new, extra)	...	...	...	...	spot.	...	...						1
755	maculata	Phacelia-like	...	...	...	hP†	v.	...	...						6
756	phacelioides	Nos. 747 to 756	...	...	...	A & P	div.	...	...						3
757	— — —		...	...	...	...	...	...	...						0

*A — indicates a variety. ( ) That the word is not literally translated, or is superadded.*

No.		L.	O.	N.	O.	H.	Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
758	Nepëta macrantha	long-flowered	14	58	103	hP	b.	6	6-9	s. d.	6
759	Nicbuhria trifoliata	three-leaved	13	25	75	gS	w.	4	5-6	6	6
760	Nicotiana nana	dwarf	5	...	141	hA	...	1	7-8	3	3
761	— — —	4 fine species	...	...	...	div.	2	...	1	0	0
762	Nigella hispánica*	Spanish	13	30	131	...	b.	1	...	3	3
763	— flore-pleno*	double-flowered	...	...	...	...	...	...	...	3	3
764	Nolana atriplicifolia	Atriplex-leaved	5	25	141	...	b w y	...	...	3	3
765	paradoxa	paradoxical	...	...	...	...	b.	trai	...	3	3
766	prostrata	(trailing)	...	...	...	...	...	...	...	3	3
767	tenella	slender	...	...	...	...	...	...	...	3	3
768	Nouca rosea	rose-coloured	...	...	72	...	ro.	1½	...	3	3
769	Nycterinia capensis	Cape	14	59	137	hP†	w.	¾	...	6	6
770	Nymphaea alba	white (aquatic)	13	25	119	hP	...	trai	6-9	6	6
771	carulea	blue (do.)	...	...	...	sP	b.	...	...	1	0
772	Enothiera acaulis	stemless	8	...	120	hP†	w.	...	7-8	3	3
773	biennis	biennial	...	...	...	hB†	y.	2	...	3	3
774	concinna	neat	...	...	...	hA	p&w	½	...	3	3
775	Drummondii	Drummond's	...	...	...	hhP†	y.	1	...	6	6
776	densiflora	thick-flowered	...	...	...	hA	pur.	½	...	3	3
777	longiflora	long-flowered	...	...	...	hB†	y.	2	...	3	3
778	macrocarpa	long-fruited, extra	...	...	...	hP†	...	...	...	6	6
779	odorata	odorous	...	...	...	hB†	...	...	...	3	3
780	rosea	rose-coloured	...	...	...	...	ro.	¾	6-7	3	3
781	Sellowii	Sellow's	...	...	...	...	...	1	7-8	3	3
782	speciosa	showy	...	...	...	hhA	w.	1½	...	6	6
783	taraxacifolia	Taraxacum-flowered	...	...	...	hP†	...	½	...	6	6
784	tetraptera	four-winged	...	...	...	hA	...	1	...	3	3
785	— — —	6 finest sorts	...	...	...	div.	div.	div.	...	3	6
786	— — —	finest mixed	...	...	...	...	...	...	...	6	6
787	Ononis rotundifolia	round-leaved	16	45	104	hS	r.	3	...	6	6
788	Orobis Fischèri	Fischer's	17	...	...	...	sc.	1½	5-6	3	3
789	Oxalis rosea	rose-coloured	10	30	153	hPb	ro.	1	6-8	6	6
790	Oxyria chrysanthemoides	Chrysanthemum-like	19	54	81	hA	y&w	...	7-8	3	3
791	Pæonia	finest mixed	13	26	131	hPb	div.	2	6-9	6	6
792	Palavia moschata	musk-scented	16	48	112	hA	pur.	1	7-8	3	3
793	Papaver crœcum	saffron	13	25	121	hP†	or.	1½	...	3	3
794	nudicaule	naked-stalked	...	...	...	...	yel.	2	...	3	3
795	orientale	oriental	...	...	...	...	r.	...	...	3	3
796	puleherrimum	most beautiful	...	...	...	...	sc.	...	...	6	6
797	spectabile	showy	...	...	...	...	...	...	...	6	6
798	— — —	Nos. 793 to 797	...	...	...	...	div.	...	...	1	6
799	Passiflora alba**	white	16	40	122	gS	w.	20	6-9	6	6
800	carulea**	blue-flowered	...	...	...	hS	b.	...	...	6	6
801	edulis**	edible	...	...	...	sS	w.	...	...	6	6
802	lutea**	yellow	...	...	...	...	y.	6	...	6	6
803	pedata**	pedated	...	...	...	...	w&g	15	...	6	6
804	Roddiàna**	Roddi's?	...	...	...	...	...	...	...	6	6
805	— — —	finest mixed	...	...	...	...	div.	...	...	1	0
806	Patersonia glauca	sea-green	...	38	101	gP	b.	1	5-7	6	6
807	Paulownia imperialis	imperial	14	59	137	hT	li.	30	6-9	6	6
808	Pelargonium	finest mixed	16	42	96	gS	div.	3	...	1	0
809	— — —	large packet	...	...	...	...	...	...	...	2	6
810	— — —	new fancy var.	...	...	...	...	...	...	...	1	0
811	— — —	scarlet, 6 var.	...	...	...	...	sc.	...	...	6	6
812	— — —	Tom Thumb	...	...	...	...	...	1	...	6	6
813	— — —	Nos. 809 to 813	...	...	...	...	div.	1&3	...	4	0
814	4 sp. ex. C. B. S.	4 fine species, Cape	...	...	...	gPb	...	1½	...	1	0
815	Pentapetes phœnicea	(scarlet)	...	45	143	sP†	sc.	2	7-8	6	6
816	Pentstemon digitalis	(Digitatis-like)	14	59	137	hP†	w.	...	...	3	3
817	atropurpureum	dark purple	...	...	...	...	d. pu	...	...	3	3

<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
818	<i>Pentstemon campanulatum</i> (bell-flowered)	14	59	137	hP†	b.	2	7-8	3
819	— album	...	...	...	...	w.	...	...	3
820	<i>Chandleri</i> Chandler's	...	...	...	...	var.	...	...	3
821	<i>gentianoides</i> Gentian-like	...	...	...	...	r.	...	...	3
822	— albidiflorum white-flowered	...	...	...	...	w.	...	...	6
823	— coccineum scarlet	...	...	...	...	sc.	...	...	3
824	— elegans elegant	...	...	...	...	l. sc.	...	...	6
825	<i>Mackayannm</i> Mackay's	...	...	...	...	pu & y	...	...	3
826	<i>Marshallii</i> Marshall's	...	...	...	...	sc.	...	...	6
827	<i>ovatum</i> ovate (leaved)	...	...	...	...	b.	...	...	3
828	<i>pulchellum</i> pretty, m.	...	...	...	...	div.	...	...	3
829	<i>rosenum</i> rose-coloured	...	...	...	...	ro.	...	...	3
830	<i>Sheppardii</i> Sheppard's	...	...	...	...	d. s.	...	...	6
831	<i>speciosum</i> showy	...	...	...	...	b.	...	...	6
832	— — — 10 finest sorts	...	...	...	...	div.	...	3	6
833	— — — finest mixed	...	...	...	...	...	...	...	6
834	<i>Petunia phoenicea</i> purple	5	25	141	hhP†	pur.	2½	6-9	3
835	— alba major large white	...	...	...	...	w.	...	...	6
836	— Blockii Block's	...	...	...	...	...	...	...	6
837	— grandiflora large-flowered	...	...	...	...	pur.	...	...	3
838	— — rosea — rose	...	...	...	...	ro.	...	...	6
839	— — striata — striped	...	...	...	...	stri.	...	...	6
840	— violacea violet	...	...	...	...	v.	...	...	3
841	— — formosa (Beauty)	...	...	...	...	d. pu	...	...	6
842	<i>nyctaginiflora</i> (sweet-scented)	...	...	...	...	w.	...	...	3
843	— — — Nos. 834 to 842	...	...	...	...	div.	...	3	0
844	— — — 6 finest varieties	...	...	...	...	...	...	2	0
845	— — — finest mixed	...	...	...	...	...	...	...	6
846	<i>Phacelia conspicua</i> conspicuous	...	...	99	hA	b.	2	7-8	3
847	<i>tanacetifolia</i> tansy-leaved	...	...	...	...	...	...	...	3
848	<i>Phacelia Caracalla**</i> Caracalla	17	45	104	sS	li.	...	7-9	6
849	<i>Phlox Russelliana</i> Russell's	14	58	103	hP	bff.	...	7-8	6
850	<i>Phlox Drummondii</i> , 20 var. Drummond's	5	25	125	hhA	div.	1½	7-9	6
851	— alba white	...	...	...	...	w.	...	...	6
852	— coccinea scarlet	...	...	...	...	sc.	...	...	6
853	— kermesina crimson	...	...	...	...	cr.	...	...	6
854	— Leopoldiniæ Leopoldina's	...	...	...	...	var.	...	...	6
855	— oculata (white-eyed)	...	...	...	...	div.	...	...	6
856	— — — Nos. 850 to 855	...	...	...	...	...	...	2	6
857	pl. sp. perennans mixed perennial	...	...	...	hP†	...	...	...	6
858	<i>Physolobium gracile**</i> slender	10	...	104	gS	cr.	6	6-8	6
859	<i>Phytolacca icosandra</i> icosandrous	...	33	155	sP	w.	3	7-8	6
860	<i>Pimelia spectabilis</i> showy	2	25	144	gS	w & r	...	...	6
861	<i>Pittosporum viridiflorum</i> green-flowered	5	...	123	...	gr.	6	5-6	6
862	<i>Platylobium triangulare</i> triangular	16	45	104	...	o.	4	6-9	6
863	<i>Platystemon californicus</i> Californian	13	25	121	hA	y.	½	7-8	6
864	<i>Podolepis chrysantha*</i> yellow-flowered	19	54	81	hhA	...	...	...	6
865	<i>gracilis*</i> slender	...	...	...	...	ro & w	...	...	3
866	<i>Poinciana Gilliesii</i> Gillies's	10	25	104	sS	y.	6	6-9	1 0
867	<i>pulcherrima</i> most beautiful	...	...	...	...	r & y	8	...	1 0
868	<i>Polygala cordifolia</i> heart-leaved	17	43	126	gS	pur.	2	5-7	6
869	<i>myrtifolia</i> myrtle-leaved	...	...	...	...	...	3	5-8	6
870	<i>speciosa</i> showy	...	...	...	...	...	6	...	6
871	— — — fine mixed	...	...	...	...	div.	...	...	6
872	<i>Portulaca grandiflora</i> large-flowered	11	25	128	hhA	cr & w	½	7-8	6
873	<i>splendens</i> splendid	...	...	...	...	...	...	...	6
874	<i>Thellusoni</i> Thelluson's	...	...	...	...	sc.	...	...	6
875	<i>Thorburni</i> Thorburn's	...	...	...	...	y.	...	...	6
876	— striatiflora striped-flowered	...	...	...	...	w & cr	...	...	6
877	— — — Nos. 872 to 876	...	...	...	...	div.	...	2	0



<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	C.	L.	O.	N.	O.	H. & Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
No.											feet		s. d.
878	Portulāca	<i>finest mixed</i>	11	25	128	hhA	div.	1	div.	1	7-8	6	
879	Potentilla formōsa*	<i>beautiful</i>	12	35	133	hP†	pur.	1	pur.	1	...	3	
880	atrosanguinea*	<i>dark red</i>	...	...	...	...	...	...	...	...	...	3	
881	colorāta	<i>coloured</i>	...	...	...	...	...	...	...	...	...	3	
882	Hopwoodiāna	<i>Hopwood's</i>	...	...	...	...	...	...	...	...	...	3	
883	insignis	<i>showy</i>	...	...	...	...	...	...	...	...	...	6	
884	Mackayāna	<i>Mackay's</i>	...	...	...	...	...	...	...	...	...	3	
885	— — —	<i>Nos. 879 to 884</i>	...	...	...	...	...	...	...	...	...	1 6	
886	— — —	<i>fine mixed</i>	...	...	...	...	...	...	...	...	...	6	
887	Prænanthes purpūrea	<i>purple</i>	19	53	81	hP	pur.	4	pur.	4	...	3	
888	Prīnula cortusoides	<i>(Primrose Cortusa)</i>	5	25	129	fP†	...	1	...	1	5-7	6	
889	sinensis (prænitens)	<i>— Chinese</i>	...	...	...	...	...	...	...	...	...	6	
890	— alba fimbriāta	<i>— fringed white</i>	...	...	...	...	...	...	...	...	...	1 0	
891	— purpūrea novā	<i>— new purple</i>	...	...	...	...	...	...	...	...	...	1 0	
892	— — —	<i>finest mixed</i>	...	...	...	...	...	...	...	...	...	1 0	
893	— — —	<i>Nos. 888 to 892</i>	...	...	...	...	...	...	...	...	...	3 6	
894	Prōtea	<i>finest mixed</i>	4	...	130	gS	div.	div.	div.	div.	...	1 0	
895	Ramonda pyrenāica	<i>Pyrenean</i>	5	...	141	hhP†	pur.	1	...	1	6-8	6	
896	Ranunculus asiāticus	<i>Asiatic</i>	13	35	131	hPb	div.	1	...	1	...	1 0	
897	Rhexia virginica	<i>Virginian</i>	8	25	154	fP	pur.	1	...	1	...	6	
898	Rhodanthe Manglēsii*	<i>Manyles'</i>	19	54	81	hhA	ro.	1	...	1	7-8	6	
899	Rhododendron	<i>finest mixed</i>	10	25	89	hS	div.	div.	...	...	5-7	1 0	
900	Robinia spectābilis	<i>showy</i>	17	45	104	hT	w.	20	...	...	6-7	6	
901	Rudbeckia amplexifolia	<i>leaf-clasping</i>	19	55	81	hA	y.	2	...	...	7-8	3	
902	bicolor	<i>two-coloured</i>	...	...	...	hP†	r & w	...	...	...	...	6	
903	Drummondii	<i>Drummond's</i>	...	...	...	...	o.	...	...	...	...	6	
904	— — —	<i>Nos. 901 to 903</i>	...	...	...	A & P	div.	...	...	...	...	1 0	
905	Sabbatia speciosa	<i>showy</i>	5	25	95	hB	r.	1	...	...	...	6	
906	Salpiglossis Barclayāna	<i>Barclay's</i>	14	59	141	hhA	y & br	1½	...	...	7-9	6	
907	— atropurpūrea	<i>dark-purple</i>	...	...	...	...	d. pu	...	...	...	...	6	
908	— grandiflora	<i>large-flowered</i>	...	...	...	...	var.	...	...	...	...	6	
909	— picta	<i>painted</i>	...	...	...	...	...	...	...	...	...	6	
910	— splendens	<i>splendid</i>	...	...	...	...	y.	...	...	...	...	1 0	
911	— straminea	<i>straw-coloured</i>	...	...	...	...	stra.	...	...	...	...	6	
912	— — —	<i>Nos. 906 to 911</i>	...	...	...	...	div.	...	...	...	...	2 6	
913	— — —	<i>splendid mixed</i>	...	...	...	...	...	...	...	...	...	6	
914	Salvia africāna	<i>African</i>	2	25	103	gS	v.	2	...	...	...	6	
915	aurea	<i>golden</i>	...	...	...	...	y.	3	...	...	...	6	
916	azūrea	<i>azure</i>	...	...	...	hP†	b.	6	...	...	...	6	
917	eoccinea	<i>scarlet</i>	...	...	...	hhP†	sc.	2	...	...	...	6	
918	— superba	<i>superb</i>	...	...	...	...	...	1½	...	...	...	1 0	
919	latifolia	<i>broad-leaved</i>	...	...	...	...	...	2	...	...	...	3	
920	limbata	<i>bordered</i>	...	...	...	...	bor.	...	...	...	...	3	
921	pādens	<i>spreading (splendid)</i>	...	...	...	...	b.	5	...	...	...	6	
922	pendula	<i>pendulous</i>	...	...	...	hP	...	2	...	...	...	3	
923	Sanvitalia procumbens	<i>procumbent</i>	19	54	81	hhA	y.	trai	...	...	7-8	6	
924	Saponaria calābrica*	<i>Calabrian</i>	10	26	140	hA	red	1½	...	...	6-9	6	
925	Saussūrea pulchella	<i>pretty</i>	19	53	81	hP†	pur.	2	...	...	7-8	6	
926	Scabiōsa amica	<i>pleasing</i>	4	25	87	...	...	...	...	...	...	3	
927	caucāsea	<i>Caucasian</i>	...	...	...	...	b.	...	...	...	...	3	
928	Schistanthe pedunculāris	<i>pedunculated</i>	...	...	...	...	...	...	...	...	...	6	
929	Schizanthus Grahami	<i>Graham's</i>	14	59	137	fB†	se & o	2	...	...	7-8	6	
930	Hookeri	<i>Hooker's</i>	...	...	...	...	var.	...	...	...	...	6	
931	retusus	<i>blunted (leaved)</i>	...	...	...	...	r & o	...	...	...	...	6	
932	— albus	<i>white (new extra)</i>	...	...	...	...	w & y	...	...	...	...	1 0	
933	— — —	<i>Nos. 929 to 932</i>	...	...	...	...	div.	...	...	...	...	2 0	
934	pinnatus	<i>winged</i>	...	...	...	hA	l.p.y.	1½	...	...	...	3	
935	— porrigens	<i>spreading</i>	...	...	...	...	var.	...	...	...	...	3	
936	— Priestii	<i>Priest's</i>	...	...	...	...	w.	...	...	...	...	3	
937	— venustus	<i>beautiful</i>	...	...	...	...	dark	...	...	...	...	3	

<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>		L.	Cl.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
938	Schizanthus humilis	dwarf	14	59	137	hA	li & cr	1	7-8	3
939	pulchellus	pretty	...	...	...	...	w & pu	1½	...	3
940	— — —	Nos. 934 to 939	...	...	...	...	div.	div.	...	1 6
941	— — —	fine mixed	...	...	...	...	...	...	...	6
942	Schizopetalon Walkeri*	Walker's	15	61	84	hhA	w.	1	...	6
943	Scilla	fine mixed	6	25	105	hPb	w & b	...	4-8	6
944	Schötia speciosa	showy	10	...	104	sS	cr.	6	7-10	1 6
945	Scutellaria macrantha	long-flowered	14	58	103	hP+	b.	¾	6-7	6
946	Seyphanthus elegans**	elegant	18	48	108	gP+	y.	6	7-8	6
947	Sebæa aurea	golden	4	25	95	hhA	...	½	...	6
948	Sedum cæruleum	blue	10	30	83	hA	b.	¼	...	6
949	Selago spicata	spiked	14	59	156	gS	pur.	7-9	...	6
950	Silene acaulis	stemless	10	28	140	hB+	ro.	7-8	...	3
951	compacta	compact	...	...	...	pk.	1	...	...	3
952	fimbriata	fringed	...	...	...	hP	w.	1½	...	3
953	ornata	ornamented	...	...	...	hB+	pur.	1	...	6
954	pendula*	pendulous	...	...	...	hA	ro.	...	...	3
955	regia	regal	...	...	...	hP+	cr.	...	...	3
956	— — —	Nos. 950 to 955	...	...	...	div.	div.	...	1 6	6
957	Solanum macranthum	long-flowered	5	25	141	gS	pur.	3	8-9	6
958	giganteum	gigantic	...	...	...	gT	vio.	...	6-8	6
959	Sollya heterophylla**	various-leaved	...	...	104	gS	b.	8	6-9	6
960	Sparaxis	finest mixed	3	...	101	fPb	div.	1	5-6	6
961	Sphæogyne speciosa	showy	19	55	81	hhA	y.	...	7-8	3
962	grandiflora	large-flowered	...	...	...	...	...	...	...	3
963	Spiræa Lindleyana	Lindley's	12	27	133	hS	w.	6	6-7	6
964	Stachys	fine mixed	14	58	103	hP+	div.	1½	7-8	6
965	Statice pseudo-Armèria	(splendid)	5	30	124	...	pk.	1	...	6
966	— — —	A fine sp. mixed	...	...	...	...	div.	...	...	6
967	Stenactis speciosa	showy	19	54	81	...	pur.	2	...	6
968	Stephanotis floribunda	bunch-flowered	5	25	67	sS	w.	10	...	1 0
969	Stèvia purpurea	purple	19	53	81	hP+	pmr.	1½	...	3
970	serrata	serrated	...	...	...	...	flsh.	...	...	3
971	Stipa pennata	(Feather Grass)	3	26	98	...	gn.	2	...	6
972	Streitzia angusta	narrow-leaved	5	25	117	sP	w.	10	5-7	1 0
973	Streptocarpus Rexii	Rex's	2	...	71	gP	b.	½	6-8	6
974	Sutherlandia frutescens	shrubby	17	45	104	fS	sc.	3	7-8	6
975	grandiflora	large-flowered	...	...	...	...	...	...	...	6
976	Symphandra pendula	pendulous	5	25	78	hB+	w.	1½	...	3
977	Tacsonia pinnatifidula**	pinnate-stipuled	16	40	122	gS	ro.	20	6-9	1 0
978	Tagetes lucida	shining	19	54	81	gP+	y.	1	7-8	6
979	signata*	distinguished	...	...	...	hhA	o.	...	...	6
980	Telckia speciosa	showy	...	...	...	hP+	y.	4	...	3
981	Tephrosia grandiflora	large-flowered	17	45	104	gS	pk.	...	5-9	6
982	Testudinaria elephantiipes	Elephant's-foot	22	41	86	...	y.	8	7-9	1 0
983	Tetrathèca verticillata	verticillate	8	25	145	...	pur.	2	7-8	6
984	Thunbergia alata**	winged	2	...	62	sP+	bf&d	6	6-9	6
985	— alba**	— white	...	...	...	...	w&d	...	...	6
986	— aurantiaca**	— orange	...	...	...	...	o & d	...	...	6
987	— Bakèri**	— Baker's	...	...	...	...	w.	...	...	6
988	— sulphurea**	— sulphur (new)	...	...	...	...	snl.	...	...	6
989	— mesoleuca**	— white-eyed	...	...	...	...	o & w	...	...	6
990	— — —	Nos. 984 to 989	...	...	...	...	div.	...	2 6	1 0
991	— — —	fine mixed	...	...	...	...	...	...	...	6
992	grandiflora**	large-flowered	...	...	...	sS	b.	6	...	1 0
993	Tigridia conchiflora	shell-flowered	16	38	101	fPb	y.	1	8-9	6
994	pavonia	Peacock	...	...	...	...	s & o	...	...	6
995	Toronia scabra	rough	14	59	137	gS+	li.	...	6-7	6
996	Tournefortia heliotropioides	Heliotropium-like	5	25	72	hP+	b.	2	5-7	3
997	Trachelium cæruleum	blue	...	...	74	hB	b.	...	7-8	3

*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded.

No.		L.	O.	N. O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
		L.	O.	N. O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
998	Trichonema rosea	3	25	101	fPb	ro.	1	6-7	s. d. 6
999	Tropaeolum brachyceras**	8	...	146	gPb†	y.	4	7-9	6
1000	Jarrattii grandiflorum	...	...	...	...	s&y.	...	...	1 0
1001	Lobbianum**	...	...	...	...	o.	...	...	6
1002	Moritzianum**	...	...	...	...	r&y.	...	...	1 0
1003	pentaphyllum**	...	...	...	...	o&y.	...	...	6
1004	tricolorum**	...	...	...	...	3col.	...	...	6
1005	peregrinum (canarien-)	...	...	...	hhA	y.	8	...	6
1006	speciosum [se]**	...	...	...	gPb†	se.	4	...	1 0
1007	Twedia caerulea**	5	26	67	fS	b.	...	...	6
1008	Verbascum formosum	...	25	141	hP†	y.	2	7-8	3
1009	compactum	...	...	...	hB†	ro.	1	...	6
1010	holothyron	...	...	...	hP	y.	3	...	6
1011	specabile	...	...	...	...	y&pu	...	...	3
1012	Verbena Aubletia	14	59	150	hhB†	pur.	1	6-8	3
1013	— Drummondii	...	...	...	...	li.	...	...	3
1014	geraniifolia	...	...	...	...	li.	1½	...	6
1015	pulchella	...	...	...	...	bl.	...	...	3
1016	pulcherrima	...	...	...	...	d.r.	...	...	6
1017	venosa	...	...	...	hhP	ro.	1	...	6
1018	— — —	...	...	...	...	div.	...	...	2 0
1019	— — —	...	...	...	...	...	...	...	1 0
1020	Veronica candida	2	25	137	...	w.	1½	...	3
1021	Lindleyana	...	...	...	gS†	...	...	...	6
1022	speciosa	...	...	...	...	pur.	2	...	6
1023	Viscaria coeli-rosa	10	30	140	hA	flsh.	1	7-8	3
1024	oculata	...	...	...	...	ro.	...	...	3
1025	— alba	...	...	...	...	w.	...	...	3
1026	— nana	...	...	...	...	ro.	½	...	3
1027	— — —	...	...	...	...	div.	1&½	...	1 0
1028	Vinea rosea	5	25	65	sS	ro.	trai	3-9	6
1029	— alba	...	...	...	...	w.	...	...	6
1030	— — —	...	...	...	...	ro&w	...	...	6
1031	Viola odorata	...	...	151	hP	pur.	1	5-7	3
1032	Virgilia capensis	10	...	104	gS	pu&w	3	7-9	6
1033	Zinnia elegans	19	54	81	hhA	v.	2	...	6
1034	— alba	...	...	...	...	w.	...	...	6
1035	— aurantiaca	...	...	...	...	o.	...	...	6
1036	— coccinea	...	...	...	...	se.	...	...	6
1037	— — major	...	...	...	...	...	...	...	6
1038	— flava	...	...	...	...	y.	...	...	6
1039	— kermesina	...	...	...	...	er.	...	...	6
1040	— minata	...	...	...	...	ear.	...	...	6
1041	— purpurea	...	...	...	...	pur.	...	...	6
1042	— rosea	...	...	...	...	ro.	...	...	6
1043	— straminea	...	...	...	...	stra.	...	...	6
1044	— — —	...	...	...	...	div.	...	...	6
1045	— — —	...	...	...	...	...	...	...	6
1046	Zygophyllum Fabago	10	25	152	hP	o&w	4	6-8	6
1047	Morgsana	...	...	...	gS	y.	3	5-9	6

## GREENHOUSE AND STOVE SEEDS, MIXED.

1048 Mixed Greenhouse Seeds, per pkt.	1 0	1050 Mixed Stove Seeds, per pkt.	1 0
1049 Mixed Greenhouse Climbers „	1 0	1051 Mixed Mexican Ferns „	1 0

The following plants are best known by the Popular Names, but as the Scientific Name is also necessary to show the genus to which they belong, it is also given. Such Popular Names as Convolvulus Minor, Flos Adonis, White Candytuft, Columbine, &c., have little or no affinity with the Latin, and are not to be considered as translations.

A — is employed to indicate varieties.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	N. of Flow.	Price.
No.								feet		s. d.
1052	Aster, Chinese, mixed	<i>Aster chinensis</i> , pl. var.	19	54	81	hhA	div.	2	8-10	3
1053	German, finest m.	— <i>fistulosus</i> , 20 var.	...	...	...	...	...	...	...	6
1054	— bordered	— <i>cinctus</i>	...	...	...	...	...	...	...	6
1055	— dark blue	— <i>atro-cæruleus</i>	...	...	...	...	d. b.	...	...	4
1056	— light blue	— <i>late-cæruleus</i>	...	...	...	...	l. b.	...	...	4
1057	— dark red	— <i>atrorubens</i>	...	...	...	...	d. r.	...	...	4
1058	— rose-coloured	— <i>roseus</i>	...	...	...	...	ro.	...	...	4
1059	— Turkey	— <i>turcicus</i>	...	...	...	...	r.	...	...	4
1060	— striped, mixed	— <i>striatus</i>	...	...	...	...	div.	...	...	6
1061	— white	— <i>albus</i>	...	...	...	...	w.	...	...	4
1062	new Globe	— <i>globularis novus</i>	...	...	...	...	div.	...	...	6
1063	— pyramidal	— <i>pyramidalis novus</i>	...	...	...	...	...	...	...	6
1064	— dwarf*	— <i>nanus novus</i>	...	...	...	...	...	1	...	6
1065	Nos. 1052 to 1064	— — —	...	...	...	...	...	...	4	0
1066	Auricula, fine Alpine*	<i>Primula Auricula</i>	5	25	129	hP	...	½	6-7	6
1067	extra fine prize	— — —	...	...	...	...	...	...	2	6
1068	fine German	— — —	...	...	...	...	...	...	1	0
1069	Balsam, fine double, m.	<i>Balsamina hortensis</i> , fl. pl.	...	...	68	tA	...	2	7-9	6
1070	double crimson	— <i>fl. pl. kermesina</i>	...	...	...	...	cr.	...	...	3
1071	— dotted	— <i>punctata</i>	...	...	...	...	div.	...	...	6
1072	— purple	— <i>purpurea</i>	...	...	...	...	pur.	...	...	3
1073	— rose	— <i>rosea</i>	...	...	...	...	ro.	...	...	3
1074	— scarlet	— <i>coccinea</i>	...	...	...	...	sc.	...	...	3
1075	— striped	— <i>striata</i>	...	...	...	...	div.	...	...	6
1076	— three-coloured	— <i>tricolor</i>	...	...	...	...	3col.	...	...	3
1077	Nos. 1069 to 1076	— — —	...	...	...	...	div.	...	2	6
1078	new Camellia, m.	— <i>Camelliaflora</i>	...	...	...	...	...	...	...	6
1079	6 finest varieties	— — —	...	...	...	...	...	...	2	0
1080	rose-flowered, m.	— <i>roseiflora</i>	...	...	...	...	...	...	...	6
1081	new dwarf, m.*	— <i>nana nova</i>	...	...	...	...	...	1	...	6
1082	Candytuft, new crim.*	<i>Iberis umbellata nova</i>	15	60	84	hA	cr.	...	7-8	3
1083	fragrant*	— <i>odorata</i>	...	...	...	...	w.	...	...	3
1084	purple*	— <i>umbellata</i>	...	...	...	...	pur.	...	...	3
1085	Rocket*	— <i>coronaria</i>	...	...	...	...	w.	...	...	3
1086	rose*	— <i>rosea</i>	...	...	...	...	ro.	...	...	3
1087	white*	— <i>amara</i>	...	...	...	...	w.	...	...	3
1088	4 distinct col.*	— — —	...	...	...	...	div.	...	1	0
1089	Canterbury Bell, pur.	<i>Campanula Medium</i>	5	25	74	hP+	b.	2	...	3
1090	white	— <i>alba</i>	...	...	...	...	w.	...	...	3
1091	double blue	— <i>flor pleno cærulea</i>	...	...	...	...	b.	...	...	6
1092	— white	— <i>alba</i>	...	...	...	...	w.	...	...	6
1093	— lilac	— <i>lilacina</i>	...	...	...	...	li.	...	...	6
1094	Nos. 1089 to 1093	— — —	...	...	...	...	div.	...	1	6
1095	Capsicum, 8 fine var.	<i>Capsicum annuum</i> , &c.	...	...	141	gA	w.	1½	6-8	6
1096	Carnation & Picotee, m.	<i>Dianthus Caryophyllus</i> pl.	10	26	140	1P	div.	2	...	2
1097	Catchfly, Lobel's, red*	<i>Silene Armeria</i>	...	...	...	...	r.	1	7-8	3
1098	white*	— <i>alba</i>	...	...	...	...	w.	...	...	3
1099	Chrysanthemum, m.	<i>Chrysanth. coronarium</i>	19	54	81	...	y & w	3	...	3
1100	tricolor	— <i>carinatum</i>	...	...	...	...	3col.	1	...	3
1101	new yellow	— <i>flavum novum</i>	...	...	...	...	y.	...	...	3
1102	Clary, red and purple	<i>Salvia Horminum</i>	2	25	103	...	r & p	...	...	3
1103	Cockscomb, dwarf red	<i>Celosia cristata, nana</i>	5	...	63	ta.	pur.	...	...	6
1104	dwarf yellow	— <i>lutea nana</i>	...	...	...	...	y.	...	...	6
1105	tall scarlet	— <i>coccinea major</i>	...	...	...	...	sc.	2	...	6
1106	tall yellow	— <i>lutea major</i>	...	...	...	...	y.	...	...	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1107	Cockscomb, m. tall	<i>Celsoia cristata, m. pl. var.</i>	5	25	63	ta.	div.	2	7-8	6
1108	Columbine, fine mixed	<i>Aquilegia vulgaris, pl. v.</i>	13	30	131	hP†	...	...	6-7	3
1109	double striped	— <i>striata plena</i>	...	...	...	...	...	...	...	3
1110	Convolverulus minor*	<i>Convolverulus tricolor</i>	5	25	82	hA	b w y	trai	6-8	3
1111	dark purple*	— <i>atropurpureus</i>	...	...	...	...	d. pu.	...	...	3
1112	new lilac	— <i>lilacinus novus</i>	...	...	...	...	li.	...	...	6
1113	striped*	— <i>striatus</i>	...	...	...	...	stri.	...	...	3
1114	white and yellow	— <i>bicolor</i>	...	...	...	...	w & y	...	...	3
1115	finest mixed*	— — —	...	...	...	...	div.	...	...	6
1116	Nos. 1110 to 1115	— — —	...	...	...	...	...	...	...	1 6
1117	Convol. major, m.**	<i>Ipomœa purpurea, pl. var.</i>	...	...	...	hhA	...	10	7-9	3
1118	splendid mixed**	— — —	...	...	...	...	...	...	...	1 0
1119	new crimson**	— <i>kermesina nova</i>	...	...	...	...	cr.	...	...	6
1120	flesh-coloured**	— <i>carnea</i>	...	...	...	...	flsh.	...	...	3
1121	rose-coloured**	— <i>rosea</i>	...	...	...	...	ro.	...	...	3
1122	spotted**	— <i>punctata</i>	...	...	...	...	spot.	...	...	3
1123	striped**	— <i>striata</i>	...	...	...	...	stri.	...	...	3
1124	variegated**	— <i>variegata</i>	...	...	...	...	var.	...	...	3
1125	very dark**	— <i>atroviolacea</i>	...	...	...	...	d. v.	...	...	3
1126	white**	— <i>alba</i>	...	...	...	...	w.	...	...	3
1127	Nos. 1119 to 1126	— — —	...	...	...	...	div.	...	...	2 0
1128	10 German var.**	— — —	...	...	...	...	...	...	...	2 6
1129	Cowslip, fine mixed.	<i>Primula clatior</i>	...	...	129	hP†	...	3	3-6	6
1130	Cyanus, fine mixed	<i>Centaurea Cyanus, m.</i>	19	55	81	hA	...	2	6-9	3
1131	sky-blue	— <i>cælestis</i>	...	...	...	...	b.	...	...	3
1132	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	141	tA	p. fr.	...	7-8	3
1133	white	— <i>leucocarpon</i>	...	...	...	...	w. fr.	...	...	3
1134	— new striped	— <i>striatum novum</i>	...	...	...	...	st. fr.	...	...	6
1135	Flos Adonis	<i>Adonis autumnalis</i>	13	35	131	hA	sc.	1	...	3
1136	Foxglove, 10 s. mixed	<i>Digitalis, pl. sp. et var.</i>	14	59	137	hP	div.	3	...	6
1137	Fraxinella, white	<i>Dictamnus Fraxinella</i>	10	25	134	...	w.	...	7-9	3
1138	red	— <i>ruber</i>	...	...	...	...	r.	...	...	3
1139	French Honeysuckle, r.	<i>Hedysarum coronarium</i>	17	45	104	hB	sc.	2	7-8	3
1140	white	— <i>album</i>	...	...	...	...	w.	...	...	3
1141	mixed	— — —	...	...	...	...	sc & w	...	...	3
1142	Globe Amaranthus, p.	<i>Gomphrena globosa</i>	5	25	63	tA	pur.	2½	...	3
1143	4 var. separate	— — —	...	...	...	...	div.	...	...	1 0
1144	Gourd, Bottle, 3 var.	<i>Lagenaria vulgaris</i>	21	49	85	fA	y.	trai	7-9	6
1145	Hercules' Club	— <i>clava-Herculis</i>	...	...	...	...	...	...	...	6
1146	Mammoth	<i>Cucurbita Pepo</i>	...	...	...	...	...	...	...	3
1147	orange	— <i>aurantia</i>	...	...	...	...	...	...	...	3
1148	pear	— <i>ovifera, var.</i>	...	...	...	...	...	...	...	3
1149	Turban	— <i>var. tiaræformis</i>	...	...	...	...	...	...	...	3
1150	Nos. 1144 to 1149	— — —	...	...	...	...	...	...	...	1 6
1151	Blackweed, red*	<i>Crepis rubra</i>	19	53	81	hA	r.	1	7-8	3
1152	white*	— <i>alba</i>	...	...	...	...	w.	...	...	3
1153	yellow*	<i>Tolpis barbata</i>	...	...	...	...	y.	...	...	3
1154	silvery*	— <i>argentea</i>	...	...	...	...	sil.	...	...	3
1155	Heartsease or Pansy*	<i>Viola tricolor</i>	5	25	151	hP†	div.	...	6-9	6
1156	Hollyhock, Antwerp	<i>Althæa fleifolia</i>	16	48	112	hP	bff.	7	7-9	3
1157	double rose	— <i>rosea</i>	...	...	...	...	ro.	...	...	3
1158	— black	— <i>nigra</i>	...	...	...	...	blk.	...	...	3
1159	— crimson	— <i>kermesina</i>	...	...	...	...	er.	...	...	3
1160	— purple	— <i>purpurea</i>	...	...	...	...	pur.	...	...	3
1161	— red	— <i>rubra</i>	...	...	...	...	r.	...	...	3
1162	— variegated	— <i>variegata</i>	...	...	...	...	div.	...	...	3
1163	— white	— <i>alba</i>	...	...	...	...	w.	...	...	3
1164	— yellow	— <i>flava</i>	...	...	...	...	y.	...	...	3
1165	Nos. 1156 to 1164	— — —	...	...	...	...	div.	...	...	2 0
1166	20 fine var. mixed	— — —	...	...	...	...	...	...	...	6



<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1167	Hollyhock, Chinese	<i>Althæa chinensis</i>	16	48	112	hB†	v.	3	7-9	3
1168	— 10 var. sep.	— — —	...	...	...	...	div.	...	...	2 6
1169	— fine mixed	— — —	...	...	...	...	...	...	...	6
1170	Honesty, purple	<i>Lunària biennis</i>	15	60	84	...	pur.	...	5-6	3
1171	— white	— alba	...	...	...	...	w.	...	...	3
1172	Horn Poppy, mixed	<i>Glaucium, pl. var.</i>	13	25	121	hA	div.	2	7-8	3
1173	violet	<i>Römèria hy'brida</i>	...	...	...	...	v.	...	...	3
1174	Ice Plant	<i>Mesembryan. crystallinum</i>	12	27	92	hhA	w.	trai	...	3
1175	Indian Pink, 4 var. s.*	<i>Dianthus chinensis, pl. var.</i>	10	26	140	hB†	div.	1	...	1 6
1176	Jacobæa, double m.	<i>Scordio elegans, fl. pleno</i>	19	54	81	hhA	...	1½	...	6
1177	double crimson	— kermesina	...	...	...	...	er.	...	...	3
1178	— mulberry	— moricolor	...	...	...	...	br. r.	...	...	3
1179	— purple	— purpurea	...	...	...	...	pur.	...	...	3
1180	— red	— rubra	...	...	...	...	r.	...	...	3
1181	— violet	— violacea	...	...	...	...	v.	...	...	3
1182	— white	— alba	...	...	...	...	w.	...	...	3
1183	Nos. 1176 to 1182	— — —	...	...	...	...	div.	...	...	1 6
1184	Larkspur, dw., m., oz. ls.	<i>Delphinium Ajacis humile</i>	13	28	131	hA	...	1	...	3
1185	dwarf, German, m.*	— humile, var.	...	...	...	...	...	...	...	6
1186	— blue	— celeste	...	...	...	...	b.	...	...	3
1187	— rose	— roseum	...	...	...	...	r.	...	...	3
1188	— white	— album	...	...	...	...	w.	...	...	3
1189	— unique	— bicolor	...	...	...	...	w & ro	...	...	3
1190	tall mixed*	<i>elutior, pl. var.</i>	...	...	...	...	div.	1½	...	3
1191	— German*	— — —	...	...	...	...	...	...	...	6
1192	— blue	— celestinum	...	...	...	...	b.	...	...	3
1193	— rose	— roseum	...	...	...	...	ro.	...	...	3
1194	— white	— candidum	...	...	...	...	w.	...	...	3
1195	branching, m. Germ.	<i>Consolida, pl. var.</i>	...	...	...	...	div.	2	...	6
1196	— blue	— cœruleum	...	...	...	...	b.	...	...	3
1197	— rose	— roseum	...	...	...	...	r.	...	...	3
1198	6 new varieties	— — —	...	...	...	...	div.	...	...	1 6
1199	Lavatera, red	<i>Lavalera trimestris</i>	16	48	112	...	r.	3	...	3
1200	white	— alba	...	...	...	...	w.	...	...	3
1201	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	r.	...	...	3
1202	Lupinus, mixed	<i>Lupinus, pl. sp. et var.</i>	16	45	104	...	div.	2	...	3
1203	Dutch blue	<i>canaliculatus</i>	...	...	...	...	b.	...	...	3
1204	large blue	<i>hirsutus</i>	...	...	...	...	...	...	...	3
1205	large rose	<i>pilosus</i>	...	...	...	...	r.	...	...	3
1206	small blue	<i>angustifolius</i>	...	...	...	...	b.	...	...	3
1207	yellow	<i>luteus</i>	...	...	...	...	y.	1½	...	3
1208	straw-coloured	— stramineus	...	...	...	...	stra.	...	...	3
1209	white	<i>albus</i>	...	...	...	...	w.	2	...	3
1210	Marigold, French, m.	<i>Tagetes patula, pl. var.</i>	19	54	81	hhA	div.	1½	...	3
1211	French, dwarf	— humilis	...	...	...	...	dark	1	...	3
1212	— splendid striped	— striata splendens	...	...	...	...	y & br	1½	...	6
1213	— tall	— elutior	...	...	...	...	...	...	...	3
1214	African, mixed	<i>erecta, pl. var.</i>	...	...	...	...	y & o.	2	...	3
1215	— lemon	— citrina	...	...	...	...	lem.	...	...	3
1216	— orange	— aurantiaca	...	...	...	...	o.	...	...	3
1217	Cape	<i>Calendula pluvialis</i>	...	56	...	hA	w.	1	...	3
1218	hybrid	<i>hy'brida</i>	...	...	...	...	...	...	...	3
1219	double, m.	<i>officinæ, fl. pl.</i>	...	57	...	...	o.	...	...	3
1220	Nos. 1210 to 1219	— — —	...	div	...	...	div.	div.	...	2 6
1221	Marvel of Peru, m.	<i>Mirabilis Jalapa, pl. var.</i>	3	25	118	hB†	...	2	...	3
1222	carmine	— miniata	...	...	...	...	car.	...	...	3
1223	crimson	— kermesina	...	...	...	...	er.	...	...	3
1224	crimson and violet	— violacea	...	...	...	...	er & v	...	...	3
1225	large-flowered	— grandiflora	...	...	...	...	cit.	...	...	3
1226	red	— rubra	...	...	...	...	r.	...	...	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet	s. d.	
1227	Marvel of Peru, r. & br.	<i>Mirabilis J. rubro-cuprea</i>	3	25	119	hPb†	r & co	2	7-8	3
1228	red and white	— <i>rubro-alba</i>	...	...	...	...	r & w	...	...	3
1229	red and yellow	— <i>flava</i>	...	...	...	...	r & y	...	...	3
1230	three-coloured	— <i>tricolor</i>	...	...	...	...	3col.	...	...	3
1231	white	— <i>alba</i>	...	...	...	...	w.	...	...	3
1232	white and red	— <i>albo-rubra</i>	...	...	...	...	w & r	...	...	3
1233	yellow	— <i>lutea</i>	...	...	...	...	y.	...	...	3
1234	yolk-coloured	— <i>vitellina</i>	...	...	...	...	d. y.	...	...	3
1235	long-flowered, swt.	<i>longiflora</i>	...	...	...	...	w.	...	...	3
1236	flat-flowered	<i>planiflora</i>	...	...	...	...	var.	...	...	3
1237	Nos. 1222 to 1236	— — —	...	...	...	...	div.	...	3	0
1238	Mignonette, lb. 8s. oz. 6d.	<i>Reseda odorata</i>	11	28	132	hA	bff.	1	6-9	3
1239	Nasturtium, new dwf.	<i>Tropaeolum minus</i>	8	43	146	...	se.	...	7-9	3
1240	dwarf	— <i>dubium</i>	...	...	...	...	o & y	2	...	3
1241	tall	<i>Majus</i>	...	...	...	...	car.	5	...	3
1242	dark red	— <i>atrosanguineum</i>	...	...	...	...	d. r.	...	...	3
1243	Shilling's	— <i>Shillingii</i>	...	...	...	...	spot.	...	...	3
1244	striped	— <i>striatum</i>	...	...	...	...	stri.	...	...	3
1245	new dark	— <i>atrum novum</i>	...	...	...	...	dark	...	...	3
1246	Nos. 1239 to 1245	— — —	...	...	...	...	div.	...	1	6
1247	mixed	— — —	...	...	...	...	...	...	...	3
1248	Palma Christi	<i>Ricinus major</i>	21	49	91	hhA	gn.	6	...	3
1249	Pea, Tangier	<i>Lathyrus tingitanus</i>	17	45	104	hA	se.	4	7-8	3
1250	striped	— <i>striatus</i>	...	...	...	...	stri.	...	...	3
1251	Lord Anson's	<i>magdalanicus</i>	...	...	...	...	b.	...	...	3
1252	winged	<i>Lotus tetragonolobus</i>	...	...	...	...	se.	1	...	3
1253	yellow	— <i>luteus</i>	...	...	...	...	y.	...	1	0
1254	Nos. 1249 to 1253	— — —	...	...	...	...	div.	div.	...	3
1255	Pea, sweet, m., lb. 2s.	<i>Lathyrus odoratus, pl. var.</i>	...	...	...	...	...	4	...	3
1256	black	— <i>niger</i>	...	...	...	...	blk.	...	...	3
1257	painted Lady	— <i>pictus</i>	...	...	...	...	var.	...	...	3
1258	purple	— <i>purpureus</i>	...	...	...	...	pur.	...	...	3
1259	— new large	— <i>niger novus</i>	...	...	...	...	...	...	...	3
1260	scarlet	— <i>coccineus</i>	...	...	...	...	sc.	...	...	3
1261	striped	— <i>striatus</i>	...	...	...	...	pu. st.	...	...	3
1262	— new	— <i>ruber</i>	...	...	...	...	r. st.	...	...	3
1263	white	— <i>albus</i>	...	...	...	...	w.	...	...	3
1264	Nos. 1256 to 1263	— — —	...	...	...	...	div.	...	1	6
1265	Persicaria, red	<i>Polygonum orientale</i>	8	28	127	...	r.	...	...	3
1266	white	— <i>album</i>	...	...	...	...	w.	...	...	3
1267	Polyanthus, finest m.*	<i>Primula elatior polyantha</i>	5	25	129	hP†	div.	$\frac{1}{2}$	5-7	6
1268	Poppy, double, 20 var.	<i>Papaversomniferum fl. pl.</i>	13	...	121	hA	...	2	7-8	3
1269	double black	— <i>plenum nigrum</i>	...	...	...	...	blk.	...	...	3
1270	— Carnation	— <i>Caryophylloides</i>	...	...	...	...	car.	...	...	3
1271	— fringed	— <i>fimbriatum</i>	...	...	...	...	sc.	...	...	3
1272	— lilac	— <i>lilacinum</i>	...	...	...	...	li.	...	...	3
1273	— scarlet	— <i>coccineum</i>	...	...	...	...	sc.	...	...	3
1274	— striped	— <i>striatum</i>	...	...	...	...	stri.	...	...	3
1275	— white	— <i>album</i>	...	...	...	...	w.	...	...	3
1276	double French	<i>Rheas, flore-pleno</i>	...	...	...	...	div.	1	...	3
1277	Himalayan	— <i>himalayanum?</i>	...	...	...	...	red	...	...	3
1278	Nos. 1268 to 1277	— — —	...	...	...	...	div.	1 & 2	...	2
1279	Primrose	<i>Primula vulgaris</i>	5	...	129	hP†	y.	$\frac{1}{2}$	5-7	3
1280	Prince's Feather	<i>Amaranthus hypochon-</i>	21	40	63	hA	pur.	2	7-8	3
1281	Quaking Grass*	<i>Briza maxima [driacus</i>	3	26	98	...	gn.	1	...	3
1282	slender*	— <i>gracilis</i>	...	...	...	...	...	...	...	3
1283	Rocket, purple	<i>Hesperis malronalis</i>	15	61	84	hP†	pur.	...	5-8	3
1284	sweet	— <i>tristis</i>	...	...	...	...	w.	...	...	3
1285	Scabious, dwarf	<i>Scabiosa nana</i>	4	25	87	hA	div.	...	7-8	3
1286	dark purple	— <i>atropurpurea</i>	...	...	...	hP†	d. pu	2	...	3

<i>A — is employed to indicate varieties.</i>		L.	Cl.	L.	O.	N.	O.	H.	&	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
No.													feet		s. d.
1287	Scabious, splendid m.	<i>Scabiosa splendida, pl. var.</i>	4	25	87	hP+	div.	b.	1½	...	7-8	6	3		
1288	starry	<i>stellata</i>	...	...	...	...	...	...	...	...	...	...	...	...	3
1289	Sensitive Plant	<i>Mimosa sensitiva</i>	23	51	104	fS	pk	2	6-9	...	3	0	6		
1290	Snapdragon, 20 fine v.	<i>Antirrhinum Majus, pl. v.</i>	14	59	137	hP+	div.	...	...	...	...	...	...	...	3
1291	Stock, 10 week, m.	<i>Matthiola annua, pl. var.</i>	15	61	84	hhA	div.	1½	...	...	...	...	...	...	3
1292	scarlet	— <i>coccinea</i>	...	...	...	...	sc.	...	...	...	...	...	...	...	3
1293	purple	— <i>purpurea</i>	...	...	...	...	pur.	...	...	...	...	...	...	...	3
1294	white	— <i>alba</i>	...	...	...	...	w.	...	...	...	...	...	...	...	3
1295	intermediate	— <i>intermedia</i>	...	...	...	...	sc.	1½	8-10	...	...	...	...	...	3
1296	pyramidal	— <i>pyramidalis</i>	...	...	...	...	w.	...	6-9	...	...	...	...	...	3
1297	Stock, German, m.	<i>Matthiola annua var.</i>	...	...	...	...	div.	1	...	...	...	...	...	...	6
1298	large packet	— —	...	...	...	...	...	...	...	...	...	...	...	1	0
1299	dwarf carmine	— <i>densiflora miniata</i>	...	...	...	...	car.	...	...	...	...	...	...	...	6
1300	— dark scarlet	— <i>atro-coccinea</i>	...	...	...	...	d. sc.	...	...	...	...	...	...	...	6
1301	— crimson	— <i>kermesina</i>	...	...	...	...	cr.	...	...	...	...	...	...	...	6
1302	— dark crimson	— <i>atro-rubens</i>	...	...	...	...	d. r.	...	...	...	...	...	...	...	6
1303	— dark blue	— <i>atro-cerulea</i>	...	...	...	...	d. b.	...	...	...	...	...	...	...	6
1304	— lilac	— <i>lilacina</i>	...	...	...	...	li.	...	...	...	...	...	...	...	6
1305	— light blue	— <i>lele-cerulea</i>	...	...	...	...	l. b.	...	...	...	...	...	...	...	6
1306	— mulberry	— <i>moricolor</i>	...	...	...	...	br. r.	...	...	...	...	...	...	...	6
1307	— peach	— <i>persiciflora</i>	...	...	...	...	pch.	...	...	...	...	...	...	...	6
1308	— rose	— <i>rosea</i>	...	...	...	...	ro.	...	...	...	...	...	...	...	6
1309	yellow	— <i>flavescens</i>	...	...	...	...	y.	...	...	...	...	...	...	...	6
1310	violet	— <i>violacea</i>	...	...	...	...	v.	...	...	...	...	...	...	...	6
1311	white	— <i>alba</i>	...	...	...	...	w.	...	...	...	...	...	...	...	6
1312	Nos. 1299 to 1311	— —	...	...	...	...	div.	...	...	...	...	...	...	5	0
1313	6 fine varieties	— —	...	...	...	...	...	...	...	...	...	...	...	2	6
1314	new large-flowered	— <i>grandiflora nova</i>	...	...	...	...	...	1½	...	...	...	...	...	...	6
1315	— carmine	— <i>miniata</i>	...	...	...	...	car.	...	...	...	...	...	...	...	6
1316	— dark blue	— <i>cerulea</i>	...	...	...	...	d. b.	...	...	...	...	...	...	...	6
1317	— light blue	— <i>celestis</i>	...	...	...	...	l. b.	...	...	...	...	...	...	...	6
1318	— rose	— <i>rosea</i>	...	...	...	...	ro.	...	...	...	...	...	...	...	6
1319	— white	— <i>alba</i>	...	...	...	...	w.	...	...	...	...	...	...	...	6
1320	Nos. 1315 to 1319	— —	...	...	...	...	div.	...	...	...	...	...	...	2	0
1321	Stock, Prussian, m.	— <i>græca (cheirifolia)</i>	...	...	...	...	...	1	...	...	...	...	...	...	3
1322	— purple	— <i>purpurea</i>	...	...	...	...	pur.	...	...	...	...	...	...	...	3
1323	— rose	— <i>rosea</i>	...	...	...	...	ro.	...	...	...	...	...	...	...	3
1324	— scarlet	— <i>coccinea</i>	...	...	...	...	sc.	...	...	...	...	...	...	...	3
1325	— white	— <i>alba</i>	...	...	...	...	w.	...	...	...	...	...	...	...	3
1326	Autumnal, m.	— <i>autumnalis, pl. var.</i>	...	...	...	...	div.	1½	8-10	...	...	...	...	...	6
1327	Stock, Brompton, m.	<i>sinuaticaulis, pl. var.</i>	...	...	...	...	...	3	5-8	...	...	...	...	...	6
1328	— purple	— <i>purpurea</i>	...	...	...	...	pur.	...	...	...	...	...	...	...	3
1329	— scarlet	— <i>coccinea</i>	...	...	...	...	sc.	...	...	...	...	...	...	...	3
1330	— white	— <i>alba</i>	...	...	...	...	w.	...	...	...	...	...	...	...	3
1331	Queen, mixed Ger.	— <i>incana</i>	...	...	...	...	div.	2	...	...	...	...	...	...	6
1332	— purple	— <i>purpurea</i>	...	...	...	...	pur.	...	...	...	...	...	...	...	3
1333	— scarlet	— <i>coccinea</i>	...	...	...	...	sc.	...	...	...	...	...	...	...	3
1334	— white	— <i>alba</i>	...	...	...	...	w.	...	...	...	...	...	...	...	3
1335	Imperial, violet	— <i>imperialis</i>	...	...	...	...	hhP	v.	1½	4-10	...	...	...	...	6
1336	— light blue	— <i>celestina</i>	...	...	...	...	l. b.	...	...	...	...	...	...	...	6
1337	— red	— <i>rubra</i>	...	...	...	...	r.	...	...	...	...	...	...	...	6
1338	— rose	— <i>rosea</i>	...	...	...	...	ro.	...	...	...	...	...	...	...	6
1339	Nos. 1335 to 1338	— —	...	...	...	...	div.	...	...	...	...	...	...	2	0
1340	fine mixed	— —	...	...	...	...	...	...	...	...	...	...	...	...	6
1341	Sunflower, dou. dwarf	<i>Helianthus indicus, fl. pl.</i>	19	55	81	hA	y.	2	7-8	...	...	...	...	...	3
1342	tall	<i>annuus, flore-pleno</i>	...	...	...	...	...	6	...	...	...	...	...	...	3
1343	Sweet Alyssum*	<i>Alyssum maritimum</i>	15	60	84	...	w.	½	...	...	...	...	...	...	3
1344	Sweet Sultan	<i>Centaurea moschata</i>	19	55	81	hhA	p.	2	...	...	...	...	...	...	3
1345	white	— <i>alba</i>	...	...	...	...	w.	...	...	...	...	...	...	...	3
1346	yellow	— <i>suaveolens</i>	...	...	...	...	y.	...	...	...	...	...	...	...	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1347	Sweet Sultan, bluish	<i>Centaurea Croeodylimum</i>	19	55	81	hhA	blh.	2	7-8	3
1348	Sweet William, striped	<i>Dianthus barb., striatus</i>	10	26	140	hP	div.	1	6-8	6
1349	Venus' Looking Glass*	<i>Prismaloearpus Speculum</i>	5	25	74	hA	b.	$\frac{3}{4}$	7-8	3
1350	rose*	— <i>roseus</i>	...	...	...	...	ro.	...	...	3
1351	white*	— <i>albus</i>	...	...	...	...	w.	...	...	3
1352	mixed*	— — —	...	...	...	...	div.	...	...	3
1353	Nos. 1349 to 1352	— — —	...	...	...	...	...	...	...	1 0
1354	Venus' Navelwort	<i>Cynoglossum linifolium</i>	...	...	72	...	w.	1	7-8	3
1355	Virginian Stock*	<i>Malcolmia maritima</i>	15	61	84	...	ro.	$\frac{1}{2}$	6-7	3
1356	white*	— <i>alba</i>	...	...	...	...	w.	...	...	3
1357	Wallflower, dark	<i>Cheiranthus Cheiri</i>	...	...	...	hS	d.br.	2	5-8	3
1358	violet	— <i>violæus</i>	...	...	...	...	v.	...	...	3
1359	yellow	— <i>flāvus</i>	...	...	...	...	y.	...	...	3
1360	— larger	— <i>mijor</i>	...	...	...	...	...	...	...	3
1361	mixed, 20 var.	— — —	...	...	...	...	div.	...	...	6
1362	double German	— <i>flöre-plèno var.</i>	...	...	...	...	...	...	...	6
1363	— black brown	— <i>atro-fuscus</i>	...	...	...	...	d.br.	...	...	6
1364	— blue	— <i>earuleus</i>	...	...	...	...	h.	...	...	6
1365	— dwarf	— <i>nanus</i>	...	...	...	...	br.	1	...	6
1366	— violet	— <i>violæus</i>	...	...	...	...	v.	2	...	6
1367	— yellow	— <i>flāvus</i>	...	...	...	...	y.	...	...	6
1368	Nos. 1363 to 1367	— — —	...	...	...	...	div.	...	...	2 0
1369	Nos. 1357 to 1367	— — —	...	...	...	...	...	...	...	3 6
1370	Winter Cherry	<i>Physalis Alkakengi</i>	5	25	141	hA	w.	2 $\frac{1}{2}$	7-8	3
1371	Xeranthemum, dou. p.	<i>Xeranthem. annuum, fl. pl.</i>	19	54	81	...	pur.	2	...	3
1372	double white	— <i>album plènum</i>	...	...	...	...	w.	...	...	3
1373	Zinnia, red	<i>Zinnia multiflora</i>	...	...	...	hhA	r.	...	...	3
1374	golden yellow	— <i>aurea</i>	...	...	...	...	y.	...	...	3
1375	large-flowered	— <i>grandiflora</i>	...	...	...	...	r.	...	...	3

*Choice selections may be made from the following:*

I. *Hardy Annuals*.—Nos. 37, 38, 42, 67, 101, 124, 139, 142, 167, 178, 193, 194, 223, 247, 254, 281, 429, 432 to 434, 443, 482, 505, 528 to 530, 593, 607, 674, 696 to 699, 702, 757, 763, 764 to 767, 863, 924, 940, 954, 1027, 1088, 1100 and 1101, 1116, 1130, 1131, 1151 to 1153, 1185, 1191, 1195, 1199, 1202, 1207, 1217 to 1219, 1238, 1246, 1264, 1278, 1281, 1353, &c. &c.

II. *Half-hardy Annuals*.—Nos. 1 to 28, 30, 34, 39, 40, 41, 42, 52, 73 to 75, 162, 168, 226, 227, 228, 261, 266, 288, 300, 303, 314 to 316, 365, 390, 511, 519 to 522, 571, 642 and 643, 656, 694, 710, 725, 844, 864 and 865, 877, 898, 923, 942, 961 and 962, 979, 1044, 1127, 1144 and 1145, 1183, 1210 to 1216, 1295, 1312, 1320, 1344 to 1346.

III. *Hardy and Half-hardy Biennials and Perennials*.—Nos. 29, 35, 45, 48 to 51, 85, 95, 96, 111, 118, 127, 191, 215 and 216, 284 and 285, 329, 363, 374, 457, 462, 475, 518, 531, 601, 616, 619, 634, 649, 685, 785, 798, 832, 885, 895, 896, 933, 946, 1165, 1237, 1287.

IV. *Greenhouse Seeds*.—Nos. 60, 83, 87, 93, 147 and 148, 149, 156, 179, 234 and 235, 237, 238, 273, 286, 294, 317, 377, 378, 397, 424, 430, 448, 483, 487, 489, 506 and 507, 546, 548, 566, 577, 590, 608, 613, 651 and 652, 662, 717, 726, 813, 858, 860, 871, 893, 959, 990, 1048, 1049, 1077, 1079, 1103, 1289.

V. *Stove Seeds*.—Nos. 61, 121, 207, 262, 268, 431, 470, 485, 540, 602, 866, 867, 1050.

\* \* \* *A few hardy Annuals, as Calliopsis, flower earlier and are more certain when treated as half-hardy.* Balsams, Brachycome, Petunia, Phlox Drummondii, Portulaca, and some others, are also proper for the greenhouse. Many of the Greenhouse Seeds may be raised in frames, and several of the Stove Seeds, when raised on heat, flower well in a greenhouse.

FRUIT SEEDS—per Packet.		s. d.		s. d.
No.				
1376	Cherry, various, mixed	6	Ancmones, new double, 100 var.	30 0
1377	Curraut, white, red and black	6	— 50 do. 15s.	25 do. 7 6
1378	Gooseberry, finest mixed	6	— 12 do. 4s., 12 finest scarlet	3 6
1379	Grape, finest flavoured	6	— new mixed double	per lb. 6 0
1380	Melon, Beechwood, extra fine	1 0	— do. do. single	" 4 0
1381	— Black Rock	6	Ancmone hortensis, 12 fine var.	4 0
1382	— Butler's scarlet	1 0	— very fine mixed do.	per 100 12 0
1383	— Cabul	6	fg Cyrtanthus obliquus	each 5 0
1384	— Carter's green-flesh	1 0	hh Dahlia, pot roots, 1s. to 2s. 6d.	" 2 6
1385	— Cassabar, fine early	1 0	fg Disa grandiflora	" 1 0
1386	— Clifton hybrid, extra	1 0	fg Ferraria undulata, doz. 10s.	" 1 0
1387	— Cuthill's green-flesh	6	fg Gethyllis, 2 fine species	" 1 0
1388	— Davy's hybrid, fine	6	Gladiolus formosissimus, doz. 10s.,	" 1 0
1389	— early netted Cantalupe	6	— gandavensis,	" 7s. 6d., 9
1390	— Egyptian, green-fleshed	6	— — hybridus	" 2 6
1391	— — scarlet-fleshed	6	— oppositiflorus doz. 2s. 6d.,	3
1392	— hybrid Ispahan, extra	1 0	— Queen Victoria	" 10s. 1 0
1393	— Ispahan	6	— ramosus	" 7s. 6d., 9
1394	— large green-fleshed	6	— roseus major	" 7s. 6d., 9
1395	— netted Persian	6	— Rosa-Mundi	" 6s. 6
1396	— old green-fleshed	6	— speciosissimus	" 1 6
1397	— Pekin, extra fine	1 0	fg Hamanthus, 5 fine species	" 2 0
1398	— scarlet-fleshed	6	Iris susiana	" 6
1399	— Surdah or Sirdar	6	fg — pavonia doz. 2s. 6d.,	3
1400	— Sweet Ispahan	6	fg Laebcnalia, 4 fine species, 4s.	" 1 0
1401	— Terry's green-flesh	6	fg Massonia latifolia	" 2 6
1402	— white-skiined	6	fg Moræa, 5 Cape species, 5s.	" 1 0
1403	— Windsor Prize	6	fg Nerine speciosissima	" 5 0
1404	— very fine mixed	1 0	fg Ornithogalum aureum doz. 10s.,	1 0
1405	— 6 finest sorts	5 0	fg Pelargonium, 4 species, 5s.	" 1 3
1406	Mulberry, 3 species	1 0	fg Pentlandia miniata	" 2 6
1407	Quince	6	Ranunculus, Persian, 200 var. for	40 0
1408	Peach, Neectarine and Apricot	1 0	— 100 do. 20s., 50 do. 10s., 25 do.	5 0
1409	Pear and Apple pips, each	1 0	— 12 do. 2s. 6d., 50 new Scotch	25 0
1410	Raspberry, finest	6	— 25 do. Scotch 12s. 6d., 12 do.	6 6
1411	Strawberry, red Alpine	6	— extra fine mixed	per 100 7 6
1412	— white Alpine	6	— Turban, large scarlet	2 6
1413	— British Queen	6	— — 200 in 8 var. 16s., 100 in do.	8 0
1414	— old Pine	6	fg Satyrium, 3 fine species	each 2 6
1415	— finest mixed	6	hh Tigridia Pavonia	per doz. 2 0
1416	Water Melon, 6 var.	1 6	— conchiflora	" 4 0
			— — superba	" 10 0
			fg Tropæolum tricolorum	each 2 6
			fg — Jarattii grandiflorum	" 2 6
			Tuberoses, finest double, per doz.	4 0
FLOWERING BULBS.		each	Explanations.—fg, frame or greenhouse ;	
fg	Amaryllis aulica	5 0	gs, greenhouse or stove ; hh, half-hardy.	
—	Bella-donna	1 0	Those without designation are quite hardy.	
gs	— erocata grandiflora	3 6	SUNDRY PLANTS.	
gs	— falcata	6 0	Carnations, extra fine, 12 pair	21 0
—	formosissima, per doz. 5s. 6d.	0 6	Chrysanthemums, doz. 9s., 12s., and 18 0	
gs	— fulgida	4 0	Fuchsias, per doz. 9s., 12s., 15s. and 24 0	
fg	— Johnsoni	3 6	Geraniums, per doz. 12s., 15s., 20s. to 40 0	
fg	— atropurpurea	4 0	Heartscase or Pansies	per doz. 12 0
fg	— striata	4 0	Picotees, extra fine, per 12 pair	20 0
fg	— Josephiniæ	15 0	Pinks, do. do. do.	8 0
gs	— miniata	4 0	Roses, standard, doz. 18s., 24s. and 36 0	
gs	— reginæ	2 6	— dwarf do. and dwarfs, 10s., 16s. and 18 0	
fg	— vittata	4 0	— China, &c., in pots	12s. to 18 0
fg	— grandiflora	5 0	Verbenas, very fine	9s., 12s. to 18 0
fg	— species from the Cape	25 0		
fg	— 6 fine species for Greenhouse			



## KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
	<i>See note end of page 32.</i>				<i>s. d.</i>
3 and 4	Artichoke, green or pur., per oz.	9	3 to 5	Broccoli, Howden's superb p. oz.	1 0
	Asparagus, Giant "	2		Impregnated wh. "	1 0
11 to 6	Beans, <i>early sorts</i> per qt.			Invisible "	1 0
	earliest dwarf Fan "	6		Knight's self-protecting, "	1 0
	early Mazagan "	6		Lake's white "	1 0
	— Lisbon "	6		large Cornish "	1 6
	— long-pod "	6		— Spring white "	1 0
	green long-pod "	6		— purple "	1 0
1 to 5	Johnson's Wonderful "	6		late Cape "	1 6
	Toker or intermediate "	6		— close-headed pur. "	1 0
	large Windsor "	6		— white "	1 0
	Taylor's do. "	6		London Particular "	1 6
	thick-seeded do. "	6		Miller's dwarf white "	1 0
	green do. "	6		new Mammoth "	1 6
4 to 6	Beet, fine large red per oz.	3		new Victoria "	1 0
	new German "	4		Portsmouth "	1 0
	new black "	4		Potter's new pink "	1 0
	new crimson "	4		Snow's superb "	1 0
	turnip-rooted "	4		very late dwarf Danish "	1 0
	silver or Spinach Beet "	3		Wilcove's large white "	1 0
	white "	3		Winter Imperial "	1 0
	Garnishing, in 3 col. per pa.	3		1 oz. 8 best for succession	8 0
4 to 5	Borecole, or Kail per oz.			1 " 4 do. do.	4 0
	dwarf green curled "	3		$\frac{1}{2}$ " 8 do. do.	4 6
	dwarf brown "	3		$\frac{1}{2}$ " 4 do. do.	2 6
	tall green "	3	3 to 5	Brussels Sprouts per oz.	6
	Asparagus, new "	6		imported Belgian "	1 0
	Buda "	3	3 to 9	Cabbage, Atkins' Matchless "	6
	Delaware "	3		Barnes' early "	6
	Jerusalem "	3		Carter's early "	1 0
	Knoll "	3		Carter's Matchless "	1 0
	new heading "	6		early Battersea "	6
	purple "	3		— dwarf "	6
	Ragged Jack "	3		— East Ham "	6
	variegated, 3 vars. "	6		— Emperor "	6
3 to 5	Broccoli, early pur. Cape per oz.	1 0		— Enfield "	6
	early improved do. "	1 6		— London Market "	6
	— white Cape "	1 0		— Nonpareil "	6
	— green "	1 0		— Paignton "	6
	— Cauliflower "	1 0		— Spotbro' "	6
	— close-headed pur. "	1 0		— Sugar-loaf "	6
	— Grange's "	1 0		— Vanack "	6
	— Malta "	1 0		— Wellington "	6
	— October "	1 0		— York "	6
	— purple "	1 0		King of the Cabbages "	6
	— sprouting "	1 0		Morning Star, Waite's "	1 0
2 to 9	— Walcheren "	1 6		Shilling's Queen "	6
3 to 5	— white "	1 0		large Battersea "	6
	Adams' new dwarf "	1 6		— Imperial "	6
	American, extra "	1 6		— Pomeranian "	1 0
	Brimstone "	1 0		— York "	6
	Chappel's cream "	1 0		largest Drumhead "	3
	dwarf Russian "	1 0		— flat Scotch "	3
	— Siberian "	1 0		1 oz. 6 finest for succession	4 0
	Elletson's gigantic "	1 6		$\frac{1}{2}$ " 6 do. do.	2 0
	Field's new white "	1 0		Red, for pickling per oz.	6
	Hampton Court "	1 0		Savoy, new Ulm "	1 0

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		s. d.			s. d.
3 to 9	Cabbage, Savoy, dwf. gr. per oz.	6	1 to 10	Cucumbers:	
	— Drumhead "	6		Manchester Prize per pa.	6
	— globe "	6		Man of Kent "	6
	— yellow "	6		Mills's Jewess "	6
	Braganza "	1 0		New early Prolific "	1 0
	Chou de Milan, imported "	1 0		Norfolk Champion "	1 0
	Colewort (for greens) "	6		Roman Emperor "	1 0
	Cove Tronchuda "	1 0		*Siou House "	6
	Kohl-Rabi, c. Vienna "	1 0		Snow's white spine "	1 0
	— large purple "	4		Victory of England, Lat. "	6
	Thousand-headed "	3		Walker's Prize-fighter "	6
1 to 10	Carrot, early Horn per oz.	3		Walker's Rambler "	1 0
	early scarlet frame "	3		*Weedon's frame "	6
3 to 5	long Surrey "	3		*Webb's Invincible "	2 6
	— orange "	3		6 finest varieties "	5 0
	large Altringham "	2		finest mixed "	1 0
1 to 4	Cauliflower, early English "	1 6		Egg Plant "	3
and in	late English "	1 6	5 to 8	Endive, green curled per oz.	6
August	— Asiatic "	1 0		white curled "	6
	Popart's new early "	1 6		Batavian, green "	6
	Radford's largest "	1 6		— white "	6
	Fitch's early London "	1 6	1 to 8	French beans, dwarf dun, p. qt.	1 0
	— new late "	1 6		dwarf Canterbury "	1 0
	Walcheren "	1 6		*— dark dun "	1 0
	black Sicilian "	1 6		*— Fulmer's forcing "	1 0
	1 oz. 4 best for succession "	5 0		*— Negro "	1 0
	$\frac{1}{2}$ " 4 do. do. "	2 6		— Negro Major "	1 0
4 to 6	Cardoon, Spanish per oz.	6		— speckled "	1 0
	new large purple "	1 0		— Turkey "	1 6
3 to 5	Celery, Giant red "	4		tall or Scarlet Runners "	1 0
	Giant white "	4		Dutch Case-knife "	1 0
	Jones' Matchless "	4		tall French Haricots "	1 0
	Lane's new red "	1 0		— Painted Lady "	1 0
	large-rooted Celeriac "	3		— round Turkey "	1 6
	Law's white Giant "	4	3 to 5	Ice plant per pa.	3
	Manchester red "	4	4 to 5	Indian Corn, mixed "	3
	Manchester white "	4		40 day (Quarantain) "	3
	Scymour's white "	4		Early Sugar for boiling "	3
	solid red "	3	3 to 5	Leek, London Flag per oz.	6
	solid white "	3		Musselburg "	1 0
	Wheeler's pink "	3		new Giant "	1 0
5 to 7	Corn Salad "	3	1 to 8	Lettuce, Cos, Ady's "	1 0
1 to 12	Cress, common per qt.	1 0		Cos, Artichoke-leaved "	1 0
	triple curled "	1 6		*— Bath "	1 0
	golden per oz.	2		*— black-seeded Bath "	1 0
	Normandy "	2		— blood "	1 0
	perennial American "	3		— Brighton "	1 0
	Water-cress per pa.	6		— Cove "	1 0
1 to 10	Cucumber, fine frame "	6		*— brown "	1 0
	long prickly, per oz. 1s. "	3		*— Egyptian "	1 0
	long Ridge "	3		— Florence "	1 0
	Stockwood, extra "	6		— green "	1 0
	short prickly "	3		*— new hardy green "	1 0
	white Turkey "	3		*— — white "	1 0
	Prize varieties, per packet "	6		— Nonpareil, white "	1 6
	Allen's Victory of Suffolk "	1 0		— — green "	1 6
	Black Spine "	6		— Paris "	1 0
	Carter's white spine "	1 0		— white "	1 0
	*Colney Hatch, extra "	1 0		1 oz. 6 best sorts "	6 0
	*Cuthill's black spine "	6		$\frac{1}{2}$ " 6 do. do. "	3 0
				Cabbage, white per oz.	1 0

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
1 to 8	Lettuce, Cabbage, Endive-ld. oz.	1 0	11 to 5	Peas: Bishop's e. dwarf 1 qt.	1 0
* Both for Autumn and Spring Sowing.	— Asiatic "	1 0		— new long-podded "	1 0
	— Belle et Bonne "	1 0		**Champion of Engl. 3 "	1 6
	— blood-red "	1 0		Early blue, Eclipse 1 3/4 "	1 0
	*— brown Dutch "	1 0		Fairbeard's Surprise 3/4 "	1 0
	— Drumhead "	1 0			
	— Grand Admiral "	1 0		II. <i>Later sorts.</i>	
	*— hardy Hammersmith "	1 0	1 to 6	Marrow, Stub's e. blue 1 1/4 "	1 0
	— Imperial "	1 0		— early green 3 "	8
	— Magnum Bonum "	1 0		†— dwarf white "	8
	— Malta "	1 0		— dwarf green "	8
	— Marseilles "	1 0		— Glory of England "	8
	— Mogul "	1 0		†— matchless green 5 "	8
	*— white "	1 0		†— Royal Victoria 6 "	8
	*— pink-edged "	1 0		— Woodford's green 3 "	8
	*— Tennis-ball "	1 0			
	*— Turkey "	1 0		III. <i>Wrinkled Marrows.**</i>	
	*— white Winter "	1 0	1 to 6	†British Queen 5-6 "	1 6
	Silesian, brown "	1 0		†Carter's Victoria 6 "	2 0
	1 oz. 6 finest sorts "	5 0		†Knight's dwarf white 3 "	1 0
	1/2 " 6 do. do. "	2 6		†— dwarf green "	1 0
4 to 5	Love apple (Tomato), red "	1 0		†— tall white 5 "	1 0
	yellow packet 3d. "	1 0		†— tall blue "	1 0
3 to 6	Mallow, garnishing per pa.	3		†Ne Plus Ultra "	1 6
1 to 12	Mustard, white per qt.	1 0		†Waite's King of Mar. 6 "	3 0
3 to 6	Onion, blood-red per oz.	4		†Ward's Incomparable 5 "	1 6
	*Deptford "	4			
3 to 5	Globe "	6		IV. <i>Various Peas.</i>	
	— new white "	6	1 to 6	†Bedman's Imperial 3 "	8
	James's keeping "	6		Blue Prussian "	6
8 to 9	*Lisbon "	4		Flack's Victory "	8
	*new Giant "	8		Pride of Sussex 1 1/2 "	1 0
3 to 6	Pickling "	8		†Scimitar 3 "	6
	Portugal, brown "	4		Sugar, dwarf "	1 6
	— white "	4		Sugar, tall 5 "	1 6
	*Reading "	4		10 finest for sue. 1 qt. each	12 0
	Silver-skinned "	8		10 do. do. 1 pt. "	6 0
	*Spanish, brown "	4		6 newest do. 1 qt. "	10 0
	— white "	4		6 do. do. 1 pt. "	5 0
	*Strasburg "	4			
8 to 9	*Tripoli, large flat "	8		<i>The Wrinkled Marrows**</i>	
	*— round "	8		(including also Champion of	
2 to 6	Both for Autumn and Spring Sowing. Two-bladed early "	6		England,) see No. III., form a	
8 to 9	* Yellow Pear "	6		distinct class, and can be highly	
	Welch "	3		recommended. Carter's Vic-	
	6 finest sorts, 2 oz. each	6 0		toria Marrow is warranted	
	6 do. do. 1 do.	3 0		the largest and finest-flavoured	
4 to 8	Parsley, extra curled per oz.	3		of all the White Peas. Waite's	
	Myatt's garnishing "	3		blue King of the Marrows is	
	new matchless "	6		also most excellent.—†Best for	
	large-rooted Hamburg "	3		late crop.	
3 to 5	Parsnip, best large "	3			
	Peas: the usual height in feet.		2 to 5	Pumpkin, large per pa.	3
11 to 5	I. <i>Earliest sorts.</i> p. qt.			Potato, early per pa. 6d. p. oz.	1 6
	Warner's Emperor 3 "	9		late " 6d. "	1 6
	Prince Albert "	9		Silver-skin " 1s. "	3 6
	early frame 6d., Kent, "	6	1 to 12	Radish, long frame per qt.	2 6
	— May 6d., Warwick, "	6		Wood's new frame "	2 0
	— Charlton "	6		early scarlet "	2 0
	Auvergne "	9		new London particular "	2 6

N.B. A quart  
of Peas equal  
to 2 lb.

Month. of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
1 to 12	Radish, early short topt, per qt.	2 0		<b>ROOTS AND PLANTS.</b>	
	long Salmon "	2 0		<i>Prices variable.</i>	<i>s. d.</i>
	white Naples "	3 0	3 to 5	Artichokes per peck	2 0
	red Turnip "	2 0		Asparagus Plants, large, per 100	5 0
	white Turnip "	2 0		Garlic per lb.	1 0
	mixed Turnip "	2 0		Mushroom Spawn per bush.	4 0
	new olive-shaped "	3 0	1 to 6	Potato, early ash-leaved p. peck	2 6
	new Chinese per pa.	6		— early flour-ball "	3 0
	Black Spanish per oz.	3		— early frame "	2 6
4 to 6	Rampion per pa.	3		— early Oxford "	2 6
	Rhubarb, Linnæus "	6	4 to 6	— red Keat "	2 6
	Royal Albert "	6		— Regent "	2 0
	Tobolsk "	6		— Yorkshire red, &c. &c., "	2 0
	Victoria "	6		Rhubarb, 3 finest sorts	4 6
	Salsafy, root per oz.	4		Sea Kail per 100	10s
8 to 9	Scandix bulbosa, root "	6		Shallots per lb.	1 0
4 to 6	Scorzonera, root "	4		<i>And all other Seeds and</i>	
3 to 6	Sea Kail "	6		<i>Plants for the Kitchen Garden.</i>	
	Skirret, root "	6		<i>When sown before the usual</i>	
	Sorrel "	4		<i>time in Spring, a hot-bed frame</i>	
2 to 6	Spinach, round per qt.	1 0		<i>is required for Carrot, Cauli-</i>	
2 to 9	prickly "	1 0		<i>flower, Cucumber, French</i>	
	broad Flanders "	1 0		<i>Beans, Lettuce, Potato, Pomp-</i>	
3 to 6	New Zealand per oz.	6		<i>kin, Radish, Vegetable Marrow,</i>	
2 to 5	Squash, fine mixed per pa.	3		<i>and a few others, except Peas</i>	
2 to 6	Turnip, early Dutch per oz.	3		<i>and Beans.</i>	
4 to 9	early Mousetail "	3		<b>AGRICULTURAL SEEDS.</b>	
	— Six-week "	3		<i>Prices variable.</i>	
	— Snowball "	3		Calhage, largest Drumhead lb.	2 6
	— Nonsuch "	3		— large flat Scotch "	2 6
	— Stone or Stubble "	3		Carrot, largest white Belgian, "	1 6
	new black for stewing "	4		— large red Altrincham "	1 6
5 to 9	large white "	2		Clover, red "	8
4 to 7	yellow Maltese "	3		— white "	8
	— Dutch "	3		— Alsike hybrid "	2 0
	— Preston "	3		— perennial "	9
	— Stone "	3		Grass Seeds, all sorts.	
5 to 7	— Swedish "	2		— best for Lawns per acre	35s
2 to 5	— Teltan or Märksehe "	6		— for permanent pasture "	25s
	Vegetable Marrow per pa.	3		— Rye Grass, Paacey's bush.	7 0
	<b>HERBS, &amp;c.</b>			— — Italian "	8 0
	<i>3d. per packet, and from 6d. to</i>			— — Perennial "	6 0
	<i>1s. per ounce.</i>			Mangel Wurzel, long red p. lb.	9
4 to 6	Angelica, Balm, Dill, Sweet			— long yellow "	9
	Basil, Bush Basil, Borage,			— Globe red "	9
	Buglos, Burnet, Chervil, Cap-			— Globe yellow "	9
	sieum, Chilis, Clary, Fennel,			Parsnip, largest field "	1 0
	Florence Fennel, Hyssop, La-			Sugar Beet, Silesian "	1 0
	vender, Sweet Marjoram, Pot			Trefoil "	4
	Marjoram, Pot Marigold,			Turnip, yellow Aberdeen "	8
	Green Purslain, Golden Pur-			— Dale's hybrid "	8
	slain, Rosemary, Rue, Sage,			— Red Round "	6
	Summer Savory, Winter Sa-			— Swedish, Lane's "	9
	vory, Thyme, Tobacco for fu-			— —, Skirving's "	9
	migating, Wormwood. Tara-			— —, purple top "	8
	gon is to be had in plants			— Tankard, yellow "	9
	only.			— —, white "	9
				— White Globe, &c. &c., "	6